

Relevant Authority	Source of requirement	Responsibility for obtaining licence/approval /permit	Trigger	Information required	Additional Comments	Approval obtained / Date
NSW Department of Planning (DoP)	Condition of Approval 6.2	EnergyAustralia NSW	Need to construct stabilisation structure on northern embankment and re-alignment of Sawyers Swamp Creek	Prepare a Construction Environment Management Plan (CEMP) CEMP to contain framework outlining construction activities, potential environmental impacts and mitigation measures and procedures.	To be submitted 4 weeks prior to commencement of construction.	Refer to Appendix A
	Condition of Approval 2.26	EnergyAustralia NSW	Need to realign Sawyers Swamp Creek	Prepare the Sawyers Swamp Creek Re-alignment Rehabilitation Plan	To be submitted 2 months prior to the realignment of Sawyers Swamp Creek	Realignment of Sawyers Swamp Creek deemed unnecessary. Not applicable
	Condition of Approval 4.1	EnergyAustralia NSW	Need to comply with Conditions of Approval applicable to commencement of Stage 2 operation	Submit written certification outlining compliance with Conditions of Approval relating to Stage 2 operation commencement.	To be submitted prior to the commencement of operations of Stage 2 works	Refer to Appendix A
	Condition of Approval 4.2	EnergyAustralia NSW	Need to comply with Conditions of Approval throughout Stage 2 operation	Develop Compliance Tracking Program to track compliance with Conditions of Approval relating to Stage 2 operation	To be implemented prior to Stage 2 operations, and submitted for approval within 4 weeks of commencement of Stage 2 works	Refer to Appendix A

Relevant Authority	Source of requirement	Responsibility for obtaining licence/approval /permit	Trigger	Information required	Additional Comments	Approval obtained / Date
	Condition of Approval 6.1	EnergyAustralia NSW	Need to nominate a suitable Environmental Representative	Candidate profile to be provided to Director-General to aid in approval process	ER details to be submitted prior to commencement of Stage 2 works	Refer to Appendix A
	Condition of Approval 7.3	EnergyAustralia NSW	Need to regularly report on environmental performance of project	Submit Annual Environment Management Report, reviewing against OEMP and Conditions of Approval	To be submitted no later than 12 months after commencement of operations, and each year thereafter	Refer to Appendix A
Department of Primary Industries (Fisheries)	Condition of Approval 3.6	EnergyAustralia NSW	Need to realign Sawyers Swamp Creek	Prepare Sawyers Swamp Creek Realignment Hydrological Monitoring Program Program must include sampling before and after realignment works, with monitoring continuing 5 years post-realignment	To be submitted 2 months prior to the realignment of Sawyers Swamp Creek	Realignment of Sawyers Swamp Creek deemed unnecessary. Not applicable
	Condition of Approval 3.7	EnergyAustralia NSW	Need to realign Sawyers Swamp Creek	Sawyers Swamp Creek Ecological Monitoring Program Program must include sampling and assessment of ecological health before and after realignment works, with monitoring continuing 5 years after final planting.	To be submitted 2 months prior to the realignment of Sawyers Swamp Creek	Realignment of Sawyers Swamp Creek deemed unnecessary. Not applicable

Relevant Authority	Source of requirement	Responsibility for obtaining licence/approval /permit	Trigger	Information required	Additional Comments	Approval obtained / Date
NSW Office of Water (formerly NSW Department of Water and Energy)	Part 5 of the Water Act (1912)	EnergyAustralia NSW	Need to construct groundwater monitoring bores	Application for licence to construct groundwater bore	Licence to be attained prior to construction	Bore licences obtained as required.