

## Pine Dale Mine EPA Compliance Data

### M5 Monitoring of Pollution Complaints - Summary

#### Number of Pollution Complaints

Pollution Category	Number of Complaints
Air	0
Water	0
Noise	0
Waste	0
Blast	0
Other / Enquiry	1

**Notes:**

Refer to Complaints register section of Energy Australia Pine Dale Mine website for further details.



16 May 2016

### M2 Requirement to Monitor Concentration of Pollutants Discharged

#### M2.2 Air Monitoring Requirements

	EPL Point 6	EPL Point 7	EPL Point 8	EPL Point 10	EPL Point 11	EPL Point 12
	Dust Gauge D1	Dust Gauge D2	Dust Gauge D3	Dust Gauge D4	Dust Gauge D5	Dust Gauge D6
Insoluble Solids sample results for month of April 2016 (g/m <sup>2</sup> per mth)	0.5	0.3	0.9	0.6	0.8	1.9
No of Samples required by licence (24 Nov 2015 to 23 Nov 2016)	12	12	12	12	12	12
No of Samples collected & analysed (24 Nov 2015 to 23 Nov 2016)	5	5	5	5	5	5
Lowest Sample value (24 Nov 2015 to 23 Nov 2016) (g/m <sup>2</sup> per mth)	0.4	0.3	0.2	0.2	0.3	0.6
Mean of samples (24 Nov 2015 to 23 Nov 2016) (g/m <sup>2</sup> per mth)	0.7	0.5	0.7	0.5	1.3	1.1
Highest sample value (24 Nov 2015 to 23 Nov 2016) (g/m <sup>2</sup> per mth)	1.2	0.8	1.0	0.7	3.9	1.9

		EPL Point 9	EPL Point 9
		HVAS TSP	HVAS PM <sub>10</sub>
Sample results for month of April 2016 (µg/m <sup>3</sup> )	05-Apr-16	40	27
	11-Apr-16	32	15
	17-Apr-16	25	19
	23-Apr-16	14	8
	29-Apr-16	21	13
No of Samples required by licence (24 Nov 2015 to 23 Nov 2016)		61	61
No of Samples collected & analysed (24 Nov 2015 to 23 Nov 2016)		27	27
Lowest Sample value (24 Nov 2015 to 23 Nov 2016) (µg/m <sup>3</sup> )		8	3
Mean of samples (24 Nov 2015 to 23 Nov 2016) (µg/m <sup>3</sup> )		23	13
Highest sample value (24 Nov 2015 to 23 Nov 2016) (µg/m <sup>3</sup> )		43	27

**Notes:**

Refer to Community Consultive Monthly Reports for Maps of Sample Locations

## Pine Dale Mine EPA Compliance Data



EnergyAustralia

16 May 2016

### M2.3 Water Monitoring Requirements

		EPL Point 2 Neubeck's Creek Upstream of Flow Gauge	EPL Point 3 Neubeck's Creek Downstream from Offices	EPL Point 14 Cox's River Downstream of Blue Lake
Sample results* for Month of April 2016	pH	NA	NA	NA
	Conductivity (µS/cm)	NA	NA	NA
	Sulphate (mg/L)	NA	NA	NA
	Iron (filterable)	NA	NA	NA
	TSS (mg/L)	NA	NA	NA
	Turbidity (NTU)	NA	NA	NA
No of Samples required by licence (24 Nov 2015 to 23 Nov 2016)		4	4	4
No of Samples collected & analysed (24 Nov 2015 to 23 Nov 2016)		1	1	1

**Notes:**

NA - no samples required for monitoring period.

Reporting year runs from 24 Nov 2015 to 23 Nov 2016

\* Pine Dale Mine does not have water quality licence limits for ambient water quality monitoring of Points 2, 3 & 14 in its EPL.

Refer to Community Consultive Monthly Reports for Maps of Sample Locations

		Wallerawang Colliery No. 1A Mine Entry	EPL 100 percentile concentration limit
Sample results for Month of April 2016	pH	NA	6.5 - 8.5
	Conductivity (µS/cm)	NA	
	Sulphate (mg/L)	NA	
	Iron (filterable)	NA	
	TSS (mg/L)	NA	30
	Turbidity (NTU)	NA	
	Oil & Grease (mg/L)	NA	10
No of Samples required by licence -year to date		NA	
No of Samples collected & analysed -year to date		NA	

**Notes:**

NA - no samples required for monitoring period.

Refer to Community Consultive Monthly Reports for Maps of Sample Locations

## Pine Dale Mine EPA Compliance Data

### L4 Noise Limits

	Location	Date	Time	Daytime Noise Level recorded dB (LAeq 15 minute)	PDM Noise Contribution (LAeq 15 minute)	Daytime Noise Limit dB (LAeq 15 minute)
Results for April 2016	NM1 (EPL Ref No. 33)	05-April-2016	9:49	50.2	NIL	42
			10:04	50.3	NIL	42
	NM2 (EPL Ref No. 14)	05-April-2016	10:40	46.7	NIL	42
			10:55	47.9	NIL	42
	NM3 (EPL Ref No. 10)	05-April-2016	12:40	41.2	NIL	42
			12:55	40.0	NIL	42
	NM4 (EPL Ref No. 5)	05-April-2016	13:21	36.2	NIL	35
			13:36	36.5	NIL	35
	NM5 (EPL Ref No. 4)	05-April-2016	15:48	39.9	NIL	35
			16:03	40.6	NIL	35
	NM6 (EPL Ref No. 2)	05-April-2016	15:07	38.3	NIL	35
			15:22	40.7	NIL	35

**Notes:**

NA - no samples required for monitoring period.

Nil - Noise source not audible during survey session

Noise monitoring is conducted at the same sites as Depositional Dust monitoring. Refer to Community Consultive Monthly Reports for Maps of Sample Locations

### L5 Blasting

Date	Park Street Blackmans Flat		Noon St.		Summer St.	
	Overpressure (dB)	Vibration (mm/sec)	Overpressure (dB)	Vibration (mm/sec)	Overpressure (dB)	Vibration (mm/sec)
No blasting undertaken during April 2016						

**Notes:**

NT - no trigger of monitoring equipment recorded at this monitoring location.

**EPL Blasting Limit for 95% of blasts:**

- Airblast overpressure level of **115dB**
- Ground vibration peak velocity of **5mm/sec**

**EPL Blasting Limit for 100% of blasts:**

- Airblast overpressure level of **120dB**
- Ground Vibration peak velocity of **10mm/sec**



16 May 2016

## Pine Dale Mine EPA Compliance Data

### M4 Weather Monitoring

Parameter required to be monitored	Monitoring Period Required	Compliance Achieved this Month
Air Temperature	Continuous	Yes
Wind Direction	Continuous	Yes
Wind Speed	Continuous	Yes
Sigma theta	Continuous	Yes
Rainfall	Continuous	Yes
Relative Humidity	Continuous	Yes

**Notes:**

Refer to Community Consultive Committee Report for Weather Monitoring Data.



EnergyAustralia

16 May 2016