


SURFACE WATER, DEPOSITIONAL DUST, HVAS AND METEOROLOGICAL MONITORING

**Prepared for Pine Dale Mine Community Consultative Committee** 

**Prepared by RCA Australia** 

RCA ref 6880-1733/0 January 2017





#### **RCA AUSTRALIA**

ABN 53 063 515 711

92 Hill Street, CARRINGTON NSW 2294

Telephone: +61 2 4902 9200 Facsimile: +61 2 4902 9299 Email: <u>administrator@rca.com.au</u> Internet: <u>www.rca.com.au</u>

This document is and shall remain the property of RCA Australia. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission supplied at the time of proposal. Unauthorised use of this document in any form whatsoever is prohibited.

	DOCUMENT STATUS									
Rev	Rev Approved for Issue (I				for Issue (Project Man	Project Manager)				
No	Comment	Author	Reviewer	Name	Signature	Date				
/0	Final	C Rocher	K Tripp	K Tripp	KTUR	16.02.17				

	DOCUMENT DISTRIBUTION								
Rev No	Copies	ppies Format Issued to							
/0	1	Electronic (email)	Pine Dale Mine – Graham Goodwin graham.goodwin@energyaustralia.com.au	16.02.17					
/0	1	Electronic (email)	EnergyAustralia- Mark Frewin mark.frewin@energyaustralia.com.au	16.02.17					
/0	1	Electronic (email)	Lithgow City Council – Andrew Muir andrew.muir@lithgow.nsw.gov.au	16.02.17					
/0	1	Electronic report	RCA – job archive	16.02.17					





RCA LE ref 6880-1733/0



16 February 2017

Pine Dale Mine PO Box 202 WALLERAWANG NSW 2845

Attention Mr Graham Goodwin

# REPORT COMPILED FOR PINE DALE MINE COMMUNITY CONSULTATIVE COMMITTEE DETAILING SURFACE WATER, GROUNDWATER DEPOSITIONAL DUST, HVAS AND METEOROLOGICAL MONITORING JANUARY 2017

#### 1 GENERAL COMMENTS

Job Number: 6880.

Date Samples Received: During the month of January 2017.

Samples received were sampled by RCA Laboratories – Environmental staff.

This report satisfies the requirements to monitor environmental parameters as presented in the Pine Dale Mine Environmental Protection Licence (EPL 4911).

#### 2 ANALYTICAL PROCEDURES

The analytical procedures used by RCA Laboratories – Environmental (NATA Accreditation number 9811) are based on established internationally recognised procedures such as APHA and Australian Standards. Analytical test methods are detailed in **Table 1**. ALS Environmental has been used to obtain analysis of anions, cations and dissolved metals (NATA Accreditation number 825).

 Table 1
 Analytical Test Methods

ANALYSIS	METHOD	UNITS	ANALYSING LABORATORY	NATA / NON- NATA ANALYSIS
Determination of Suspended Particulate Matter	ENV-LAB003	μg/m³	RCA Laboratories – Environmental	NATA Analysis
Determination of Particulate Matter – Deposited Matter	ENV-LAB004	g/m <sup>2</sup> .month	RCA Laboratories – Environmental	NATA Analysis
рН	ENV-LAB006	рН	RCA Laboratories – Environmental	NATA Analysis
Conductivity	ENV-LAB010	μS/cm	RCA Laboratories – Environmental	NATA Analysis
Total Suspended Solids	ENV-LAB009	mg/L	RCA Laboratories – Environmental	NATA Analysis
Turbidity	ENV-LAB037	NTU	RCA Laboratories - Environmental	NATA Analysis
Oil and Grease	ENV-LAB022	mg/L	RCA Laboratories - Environmental	Non-NATA Analysis
Major Anions (Alkalinity, Cl, SO <sub>4</sub> )	ED037, ED041, ED045	mg/L	ALS	NATA Analysis
Major Cations (Ca, Mg, Na, K)	ED093	mg/L	ALS	NATA Analysis
Dissolved Metals	EG020F	mg/L	ALS	NATA Analysis

#### 3 WATER MONITORING RESULTS

#### 3.1 GROUNDWATER

A total of 2 on-site groundwater samples were collected during the month of January 2017. Sampling at Bores P2, P3 and P7a are no longer required under the new sampling regime undertaken in accordance with Project Approval (PA 10\_0041) and the Pine Dale Mine Water Management Plan (Report No. 613/20). This sampling regime commenced 1 August 2013. Water quality analysis results are shown in **Table 2**.

 Table 2
 Groundwater Analysis Results – Monthly Monitoring

ANALYSIS	UNITS	P6	P7						
Sample Number	-	01176880009	01176880010						
Date Sampled	-	09/01/2017	09/01/2017						
Time Sampled	_	10:30	13:04						
Depth to Water from Surface	m	23.25	6.65						
Water Level (AHD)	m	893.70	887.75						
Temperature	°C	16.0	16.0						
pH	pН	5.99	6.18						
Conductivity	μS/cm	1281	845						
Turbidity	NTU	23							
Dissolved Oxygen	mg/L	3.9							
TSS	mg/L	48							
Oil and Grease	mg/L	<5							
Bicarbonate Alkalinity (CaCO <sub>3</sub> )	mg/L	56							
Total Alkalinity (CaCO <sub>3</sub> )	mg/L	56							
Sulfate (as SO <sub>4</sub> )	mg/L	697							
Chloride	mg/L	34							
Calcium	mg/L	140							
Magnesium	mg/L	62							
Sodium	mg/L	58							
Potassium	mg/L	20							
Cobalt (dissolved)	mg/L	0.066							
Manganese (dissolved)	mg/L	2.75							
Nickel (dissolved)	mg/L	0.116							
Zinc (dissolved)	mg/L	0.119							
Iron (dissolved)	mg/L	36.1							
	Trigger Levels								
pH trigger level	pН	6.2 – 8.0	6.3 – 8.0						
Conductivity trigger level	μS/cm	1180	852						
Water Level (AHD) #	m	887.90	883.28						

**NOTES:** \*Depth relative to ground level (not standpipe height).

Indicates analysis was not required

Results shown in italics indicates exceedance of trigger level

Groundwater monitoring locations are shown in **Appendix 1**.



#### 3.2 EPA SURFACE WATER MONITORING

Routine quarterly EPA surface water monitoring not required to be undertaken during January 2017. The next scheduled monitoring round is due to be undertaken in February 2017.

#### 4 AIR QUALITY MONITORING RESULTS

#### 4.1 HIGH VOLUME AIR SAMPLERS (HVAS)

HVAS at this facility conform to AS/NZS 3580.9.3:2015, AS/NZS 3580.9.6:2003 and AS/NZS 3580.1.1:2007.

HVAS Total Suspended Particulate analysis results are shown in **Table 3**. PM<sub>10</sub> Suspended Particulate Matter results are shown in **Table 4**.

**Table 3** Total Suspended Particulates (µg/m³ 0°C 101.3 kPa)

RUN DATE	TSP (µg/m³)	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
06-Jan-17	10	01176880029	9269536	07-Jan-17	11:20	Client	24.00
12-Jan-17	23	01176880031	9269555	14-Jan-17	7:55	Client	24.27
18-Jan-17	40	01176880033	9269569	22-Jan-17	16:00	Client	24.00
24-Jan-17	25	01176880035	9326315	28-Jan-17	13:30	Client	24.00
30-Jan-17	33	01176880037	9326318	31-Jan-17	11:55	Client	24.00

**Table 4** Suspended Particulate Matter PM<sub>10</sub> (μg/m<sup>3</sup> 0°C 101.3 kPa)

RUN DATE	PM <sub>10</sub> (μg/m³)	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
06-Jan-17	5	01176880030	9269544	07-Jan-17	11:25	Client	24.00
12-Jan-17	12	01176880032	9269559	14-Jan-17	8:00	Client	24.13
18-Jan-17	16	01176880034	9269570	22-Jan-17	16:05	Client	24.00
24-Jan-17	15	01176880036	9326316	28-Jan-17	13:35	Client	24.00
30-Jan-17	18	01176880038	9326317	31-Jan-17	12:00	Client	24.00

#### 4.1.1 TSP Summary

The EPA Annual Mean TSP allowable limit is  $90\mu g/m^3$ . All TSP HVAS results recorded during this monitoring period are in compliance with consent conditions, as the *current rolling annual mean* (from February 2016 to January 2017) for the TSP unit is  $19.3\mu g/m^3$ , which is well below the allowable limit of  $90\mu g/m^3$ .

#### 4.1.2 **PM**<sub>10</sub> **Summary**

The EPA 24h Maximum  $PM_{10}$  allowable limit is  $50\mu g/m^3$ . The EPA Annual Mean  $PM_{10}$  allowable limit is  $30\mu g/m^3$ . All  $PM_{10}$  HVAS results recorded during this monitoring period conform to consent conditions, as the *current rolling annual mean* for the  $PM_{10}$  unit is  $9.1\mu g/m^3$ , which is below the allowable limit of  $30\mu g/m^3$ . The 24 hour maximum allowable limit of  $50\mu g/m^3$  was not exceeded during the month of January 2017.

#### 4.1.3 Comments

HVAS monitoring locations are shown in **Appendix 1**. Graphical HVAS results presentations are shown in **Appendix 2**.



#### 4.2 DEPOSITIONAL DUST

Depositional Dust Gauges at this facility conform to AS/NZS 3580.10.1:2003 and AS/NZS 3580.1.1:2007. Depositional Dust monitoring results are shown in **Table 5**.

 Table 5
 Depositional Dust Monitoring - Deposited Matter - January 2017

SAMPLE NUMBER	DEPOSIT GAUGE	DATE SAMPLE STARTED	DATE SAMPLE COMPLETED	NUMBER OF DAYS	NOTES	INSOLUBLE SOLIDS (g/m².month)	ASH (g/m².month)	COMBUSTIBLE MATTER (g/m².month)
01176880019	D1	8/12/2016	9/01/2017	32	I	0.9	0.4	0.5
01176880020	D2	8/12/2016	9/01/2017	32	I	0.5	0.1	0.4
01176880021	D3	8/12/2016	9/01/2017	32	ı	0.4	0.1	0.3
01176880022	D4	8/12/2016	9/01/2017	32	IT	0.7	0.1	0.6
01176880023	D5	8/12/2016	9/01/2017	32	I	0.6	0.3	0.3
01176880024	D6	8/12/2016	9/01/2017	32	I	< 0.1	< 0.1	< 0.1

Glossary of Terms Used in Notes:

I Insects (eg, Ants, Spiders)

IT Insects and bird droppings

#### 4.2.1 Allowable Depositional Dust Limits

The EPA Long Term (Annual Average) Dust Limit is 4g/m<sup>2</sup> per month. All Depositional Dust results during this monitoring period are in compliance with consent conditions. The Annual Average for Dust Gauges D1, D2, D3, D4, D5 and D6 are all less than or equal to 0.8g/m<sup>2</sup> per month, which is below the allowable Annual Average Long Term Limit of 4g/m<sup>2</sup> per month.

Depositional Dust monitoring locations are shown in **Appendix 1**. Graphical Depositional Dust results are shown in **Appendix 2**.



#### 5 BLASTING RESULTS

No blasting was undertaken during this month as mining operations have ceased since the end of March 2014.

#### 6 NOISE MONITORING RESULTS

Routine quarterly noise monitoring was undertaken this month. Results are presented in RCA Australia Report No. 6880-N140 Pine Dale Mine Operation Attended Noise January 2017. All noise monitoring results were found to be in compliance with EPA Licence EL2911 and Project Approval (PA 10\_0041) conditions.

#### 7 OPERATIONAL ACTIVITIES

All of the approved minable reserves at the Pine Dale Mine have now been exhausted. Operational mining and the last coal sales ceased as of the end of March 2014.

All former operators have been made redundant; however some statutory positions still remain. Pine Dale Mine has been placed in care and maintenance since April 2014.

#### 8 SUMMARY

During the month of January 2017 environmental monitoring constituents were found to be generally in compliance with EPL 4911.

Standing water levels within the site groundwater bores were compliant with their respective trigger levels. The pH at both site groundwater bores were below the respective lower pH trigger level criteria. The electrical conductivity recorded at P6 exceeded the respective trigger level.

The EPA quarterly surface water monitoring was not required to be undertaken during January 2017. The next scheduled quarterly monitoring round is due in February 2017.

Rolling annual averages from both the TSP and  $PM_{10}$  High Volume Air Samplers are currently well below the EPA Annual Mean TSP and  $PM_{10}$  criterion of  $90\mu g/m^3$  and  $30\mu g/m^3$  respectively.

Currently there are no depositional dust gauge results which are greater than the EPA Long Term (annual average) criteria of 4g/m<sup>2</sup>.month based upon a rolling average of the past 12 months.

Pine Dale Mine ceased operation in March 2014 and therefore no blasting occurred at the site.

This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.

Please contact the undersigned if you have any queries.


Yours sincerely


Carmen Rocher Environmental Engineer RCA Australia Pty Ltd Karen Tripp Senior Environmental Scientist/Hygienist RCA Australia Pty Ltd


& In

### Appendix 1

Surface Water Groundwater and Air Quality Monitoring Locations











## Appendix 2

Depositional Dust and HVAS Graphs













# Appendix 3


Meteorological Data















# Bin1: 0 - 3 m/s Bin2: 3 - 6 m/s Bin3: 6 - 9 m/s Bin4: 9 - 12 m/s Bin5: 12 - 15 m/s Bin6: 15 - 18 m/s Bin7: 18 - 21 m/s Bin8: 21 - 24 m/s Bin9: 24+ m/s



Source data: Metford.SCM 10 minutely data - Ave WndDir (deg) 10 minutely data - Ave WindSpd (m/sec)