


**SURFACE WATER, DEPOSITIONAL DUST,
HVAS AND METEOROLOGICAL MONITORING**

Prepared for Pine Dale Mine Community Consultative Committee

Prepared by RCA Australia

RCA ref 6880-857/0

July 2014



RCA AUSTRALIA

ABN 53 063 515 711

92 Hill Street, CARRINGTON NSW 2294


Telephone: +61 2 4902 9200

Facsimile: +61 2 4902 9299

Email: administrator@rca.com.au

Internet: www.rca.com.au

This document is and shall remain the property of RCA Australia. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission supplied at the time of proposal. Unauthorised use of this document in any form whatsoever is prohibited.

DOCUMENT STATUS						
Rev No	Comment	Author	Reviewer	Approved for Issue (Project Manager)		
				Name	Signature	Date
/0	Final	C Rocher	K Tripp	K Tripp		13.08.14

DOCUMENT DISTRIBUTION				
Rev No	Copies	Format	Issued to	Date
/0	1	Electronic (email)	Pine Dale Mine – Graham Goodwin graham.goodwin@energyaustralia.com.au	13.08.14
/0	1	Electronic (email)	Energy Australia – Tom Hurdley tom.hurdley@energyaustralia.com.au	13.08.14
/0	1	Electronic (email)	Energy Australia- Mark Frewin mark.frewin@energyaustralia.com.au	13.08.14
/0	1	Electronic (email)	Lithgow City Council – Andrew Muir andrew.muir@lithgow.nsw.gov.au	13.08.14
/0	1	Electronic report	RCA – job archive	13.08.14



RCA LE ref 6880-857/0



13 August 2014

Pine Dale Mine
PO Box 202
WALLERAWANG NSW 2845

Attention: Mr Graham Goodwin

**REPORT COMPILED FOR
PINE DALE MINE COMMUNITY CONSULTATIVE COMMITTEE
DETAILING SURFACE WATER, GROUNDWATER DEPOSITIONAL DUST,
HVAS AND METEOROLOGICAL MONITORING
JULY 2014**

1 GENERAL COMMENTS

Job Number: 6880.

Date Samples Received: During the month of July 2014.

Samples received were sampled by RCA Laboratories – Environmental staff.

This report satisfies the requirements to monitor environmental parameters as presented in the Pine Dale Mine Environmental Protection Licence (EPL 4911).

2 ANALYTICAL PROCEDURES

The analytical procedures used by RCA Laboratories – Environmental are based on established internationally recognised procedures such as APHA and Australian Standards. Analytical test methods are detailed in **Table 1**. When an external testing laboratory is used to obtain the analysis of samples which become a part of this report, then the details of that laboratory's official report will be attached in an Appendix.

Table 1 *Analytical Test Methods*

ANALYSIS	METHOD	UNITS	ANALYSING LABORATORY	NATA/ NON-NATA ANALYSIS
Determination of Suspended Particulate Matter	ENV-LAB003	µg/m ³	RCA Laboratories - Environmental	NATA Analysis
Determination of Particulate Matter – Deposited Matter	ENV-LAB004	g/m ² /month	RCA Laboratories - Environmental	NATA Analysis
pH	ENV-LAB006	pH	RCA Laboratories - Environmental	NATA Analysis
Conductivity	ENV-LAB010	µS/cm	RCA Laboratories - Environmental	NATA Analysis
Total Suspended Solids	ENV-LAB009	mg/L	RCA Laboratories - Environmental	NATA Analysis
Total Dissolved Solids	ENV-LAB020	mg/L	RCA Laboratories - Environmental	NATA Analysis
Turbidity	ENV-LAB037	NTU	RCA Laboratories - Environmental	NATA Analysis
Oil and Grease	ENV-LAB022	mg/L	RCA Laboratories - Environmental	Non-NATA Analysis
Dissolved Oxygen	Manufacturer's Instructions	mg/L	RCA Laboratories - Environmental	Non-NATA Analysis**
Major Anions (Alkalinity, Cl, SO ₄)	ED037, ED041, ED045	mg/L	ALS	NATA Analysis
Major Cations (Ca, Mg, Na, K)	ED093	mg/L	ALS	NATA Analysis
Dissolved Metals	EG020F	mg/L	ALS	NATA Analysis

**Dissolved oxygen measurements are undertaken in the field using the DO Meter owned by PDM.

3 WATER MONITORING RESULTS

3.1 GROUNDWATER

A total of three on-site groundwater samples were collected during the month of July 2014. Sampling at Bores P2, P3 and P7a are no longer required under the new sampling regime undertaken in accordance with Project Approval (PA 10_0041) and the Pine Dale Mine Water Management Plan (Report No. 613/20). The new sampling regime commenced 1 August 2013. Water quality analysis results are shown in **Table 2**.

Fortnightly sampling at Old Shaft ceased during May 2014 as the mine is now under care and maintenance.

Table 2 Groundwater Analysis Results

ANALYSIS	UNITS	P6	P7	Old Shaft
Sample Number	-	07146880009	07146880010	07146880013
Date Sampled	-	17/07/14	17/07/14	17/07/2014
Time Sampled	-	13:43	14:33	13:03
Depth to Water from Surface	m	25.85	7.52	11.34
Water Level (AHD)	m	891.10	886.88	
Temperature	°C	14.5	13.0	14.5
pH	pH	5.91	6.30	6.24
Conductivity	µS/cm	1175	727	926
Turbidity	NTU	11		20
Dissolved Oxygen	mg/L	4		
TSS	mg/L	20		
Oil & Grease	mg/L	< 2		
Bicarbonate Alkalinity (CaCO ₃)	mg/L	55		
Total Alkalinity (CaCO ₃)	mg/L	55		
Sulfate (as SO ₄)	mg/L	551		
Chloride	mg/L	23		
Calcium	mg/L	128		
Magnesium	mg/L	58		
Sodium	mg/L	43		
Potassium	mg/L	22		
Cobalt (dissolved)	mg/L	0.186		
Manganese (dissolved)	mg/L	3.0		
Nickel (dissolved)	mg/L	0.222		
Zinc (dissolved)	mg/L	0.214		
Iron (dissolved)	mg/L	30.9		
Trigger Levels*				
pH trigger level	pH	**	**	**
Conductivity trigger level	µS/cm	**	**	**
Water level trigger (AHD) [#]	m	--	883.28	--

NOTES: *Depth relative to ground level (not standpipe height).

■ Indicates analysis was not required

Groundwater monitoring locations are shown in **Appendix 1**.

3.2 EPA SURFACE WATER MONITORING

Routine quarterly surface waters were not scheduled to be monitored this month. Quarterly surface water monitoring is next scheduled to be undertaken in August 2014.

4 AIR QUALITY MONITORING RESULTS

4.1 HIGH VOLUME AIR SAMPLERS (HVAS)

HVAS at this facility conform to AS/NZS 3580.9.3:2003, AS/NZS 3580.9.6:2003 and AS/NZS 3580.1.1:2007.

HVAS Total Suspended Particulate analysis results are shown in **Table 3**.

PM₁₀ Suspended Particulate Matter results are shown in **Table 4**.

Table 3 Total Suspended Particulates ($\mu\text{g}/\text{m}^3$ 0°C 101.3 kPa)

RUN DATE	TSP ($\mu\text{g}/\text{m}^3$)	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
03-Jul-14	16	07146880029	8956550	04-Jul-14	12:20	Client	24.00
09-Jul-14	16	07146880031	8956552	14-Jul-14	9:50	Client	24.01
15-Jul-14	7	07146880033	8956554	16-Jul-14	10:03	Client	23.99
21-Jul-14	9	07146880035	8956556	22-Jul-14	10:32	Client	24.16
27-Jul-14	7	07146880037	8956462	28-Jul-14	12:20	Client	24.00

Table 4 Suspended Particulate Matter PM₁₀ ($\mu\text{g}/\text{m}^3$ 0°C 101.3 kPa)

RUN DATE	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
03-Jul-14	10	07146880030	8956551	04-Jul-14	12:22	Client	24.00
09-Jul-14	5	07146880032	8956553	14-Jul-14	9:55	Client	24.00
15-Jul-14	3	07146880034	8956555	16-Jul-14	10:07	Client	24.00
21-Jul-14	6	07146880036	8956557	22-Jul-14	10:36	Client	24.07
27-Jul-14	3	07146880038	8956463	28-Jul-14	12:22	Client	24.00

4.1.1 TSP Summary

The EPA Annual Mean TSP allowable limit is $90\mu\text{g}/\text{m}^3$. All TSP HVAS results recorded during this monitoring period are in compliance with consent conditions, as the *current rolling annual mean* (from August 2013 to July 2014) for the TSP unit is $23.3\mu\text{g}/\text{m}^3$, which is well below the allowable limit of $90\mu\text{g}/\text{m}^3$.

4.1.2 *PM*₁₀ Summary

The EPA 24h Maximum *PM*₁₀ allowable limit is 50µg/m³. The EPA Annual Mean *PM*₁₀ allowable limit is 30µg/m³. All *PM*₁₀ HVAS results recorded during this monitoring period conform to consent conditions, as the *current rolling annual mean* for the *PM*₁₀ unit is 11.5µg/m³, which is below the allowable limit of 30µg/m³. The 24 hour maximum allowable limit of 50µg/m³ was not exceeded during the month of July 2014.

4.1.3 Comments

HVAS monitoring locations are shown in **Appendix 1**.

Graphical HVAS results presentations are shown in **Appendix 2**.

4.2 DEPOSITIONAL DUST

Depositional Dust Gauges at this facility conform to AS/NZS 3580.10.1:2003 and AS/NZS 3580.1.1:2007. Depositional Dust monitoring results are shown in **Table 5**.

Table 5 *Depositional Dust Monitoring - Deposited Matter July 2014*

SAMPLE NUMBER	DEPOSIT GAUGE	DATE SAMPLE STARTED	DATE SAMPLE COMPLETED	NUMBER OF DAYS	NOTES	INSOLUBLE SOLIDS (g/m ² .month)	ASH (g/m ² .month)	COMBUSTIBLE MATTER (g/m ² .month)
07146880019	D1	17/06/2014	17/07/2014	30	I	0.5	0.2	0.3
07146880020	D2	17/06/2014	17/07/2014	30	I	0.4	0.1	0.3
07146880021	D3	17/06/2014	17/07/2014	30	I	0.6	0.4	0.2
07146880022	D4	17/06/2014	17/07/2014	30	I	0.3	0.1	0.2
07146880023	D5	17/06/2014	17/07/2014	30	I	0.3	0.2	0.1
07146880024	D6	17/06/2014	17/07/2014	30	I	0.5	0.2	0.3

4.2.1 Glossary of Terms Used in Notes

I Insects (eg, Ants, spiders)

4.2.2 Allowable Depositional Dust Limits

The EPA Long Term (Annual Average) Dust Limit is 4g/m² per month. All Depositional Dust results during this monitoring period are in compliance with consent conditions. The Annual Average for Dust Gauges D1, D2, D3, D4, D5 and D6 are all less than or equal to 1.5g/m² per month, which is below the allowable Annual Average Long Term Limit of 4g/m² per month.

Depositional Dust monitoring locations are shown in **Appendix 1**.

Graphical Depositional Dust results are shown in **Appendix 2**.

5 BLASTING RESULTS

No blasting was undertaken during the month of July 2014 as mining operations have ceased

6 NOISE MONITORING RESULTS

Quarterly noise monitoring was scheduled to be undertaken during this month of monitoring; however, due to unfavourable weather conditions it was unable to be conducted. Quarterly noise monitoring is scheduled to be undertaken later in the quarter (July-September) when weather conditions are suitable.

7 OPERATIONAL ACTIVITIES

All of the approved minable reserves at the Pine Dale Mine have now been exhausted. Operational mining and the last coal sales ceased at the end of March 2014.

All former operators have been made redundant; however some statutory positions still remain. Pine Dale Mine has been placed in care and maintenance since May 2014.

8 SUMMARY

During the month of July 2014 all environmental monitoring constituents were found to be in compliance with EPL 4911.

Quarterly surface water sampling was not required to be conducted this month, with sampling next scheduled for August 2014.

Rolling annual averages from both the TSP and PM₁₀ High Volume Air Samplers are currently well below the EPA Annual Mean TSP and PM₁₀ criterion of 90µg/m³ and 30µg/m³ respectively.

Currently there are no depositional dust gauge results which are greater than the EPA Long Term (annual average) criteria of 4g/m².month based upon a rolling average of the past 12 months.

Quarterly noise monitoring was scheduled to be undertaken this month; however due to unfavourable weather conditions noise monitoring was not undertaken and is scheduled for a later date during the required quarterly monitoring period (July to September 2014).

Pine Dale Mine ceased operation in March 2014 and therefore there are no blasting results.

This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.

Please contact the undersigned if you have any queries.

Yours sincerely




Carmen Rocher
Environmental Engineer
RCA Australia Pty Ltd trading as
RCA Laboratories – Environmental



Karen Tripp
Senior Environmental Scientist/Hygienist
RCA Australia Pty Ltd trading as
RCA Laboratories – Environmental

Appendix 1

Surface Water Groundwater and Air Quality Monitoring Locations



REFERENCE
Pine Dale Coal Mine
Yarraboldy Extension
EPA 14 Surface Water Monitoring Location





Figure WM5
SURFACE WATER
MONITORING LOCATIONS





- REFERENCE
- Pine Dale Coal Mine
 - Yarraboldy Extension
 - Cadastral Boundary
 - 🏠 Residence
 - DDG1 📍 Air Quality Monitoring Location (Deposited Dust)
 - HVAS 📍 Air Quality Monitoring Location (High Volume Sampling)

SCALE 1:20 000





Figure AQ2
AIR QUALITY MONITORING
LOCATIONS


Appendix 2

Depositional Dust, HVAS and Blast Result Graphs


Pine Dale Mine Depositional Dust Gauge Comparative Results June 2014 to July 2014




Pine Dale Mine Deposited Matter - Insoluble Solids 12 Months Comparative Results August 2013 to July 2014



Pine Dale Mine TSP & PM₁₀ Results June - July 2014




Pine Dale Mine TSP & PM₁₀ HVAS 12-Month Comparative Results August 2013 - July 2014




Appendix 3



Meteorological Data



Blackmans Flat NSW
Total Rainfall & Evapotranspiration
Period: 1/7/14 to 31/7/14



Blackmans Flat NSW
Average Air Temperature - Period: 1/7/14 to 31/7/14









Blackmans Flat Windrose

1/07/2014 to 31/07/2014

N



Source data:
Metford.SCM
10 minutely data - Ave WndDir (deg)
10 minutely data - Ave WindSpd (m/sec)