


SURFACE WATER, DEPOSITIONAL DUST, HVAS AND METEOROLOGICAL MONITORING

Prepared for Pine Dale Mine Community Consultative Committee

Prepared by RCA Australia

RCA ref 6880-1746/0 July 2017





RCA AUSTRALIA

ABN 53 063 515 711

92 Hill Street, CARRINGTON NSW 2294

Telephone: +61 2 4902 9200 Facsimile: +61 2 4902 9299 Email: <u>administrator@rca.com.au</u> Internet: <u>www.rca.com.au</u>


This document is and shall remain the property of RCA Australia. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission supplied at the time of proposal. Unauthorised use of this document in any form whatsoever is prohibited.

	DOCUMENT STATUS									
Rev				Approved for Issue (Project Manag						
No	Comment	Author	Reviewer	Name	Signature	Date				
/0	Final	C Rocher	K Tripp	K Tripp	KINC	16.08.17				

	DOCUMENT DISTRIBUTION								
Rev No	Copies Format Issued to								
/0	1	Electronic (email)	Pine Dale Mine – Graham Goodwin graham.goodwin@energyaustralia.com.au	16.08.17					
/0	1	Electronic (email)	Energy Australia- Mark Frewin mark.frewin@energyaustralia.com.au	16.08.17					
/0	1	Electronic (email)	Lithgow City Council – Andrew Muir andrew.muir@lithgow.nsw.gov.au	16.08.17					
/0	1	Electronic report	RCA – job archive	16.08.17					









16 August 2017

Pine Dale Mine PO Box 202 WALLERAWANG NSW 2845

Attention Mr Graham Goodwin

REPORT COMPILED FOR PINE DALE MINE COMMUNITY CONSULTATIVE COMMITTEE DETAILING SURFACE WATER, GROUNDWATER DEPOSITIONAL DUST, HVAS AND METEOROLOGICAL MONITORING JULY 2017

1 GENERAL COMMENTS

Job Number: 6880.

Date Samples Received: During the month of July 2017.

Samples received were sampled by RCA Laboratories – Environmental staff.

This report satisfies the requirements to monitor environmental parameters as presented in the Pine Dale Mine Environmental Protection Licence (EPL 4911).

2 ANALYTICAL PROCEDURES

The analytical procedures used by RCA Laboratories – Environmental (NATA Accreditation number 9811) are based on established internationally recognised procedures such as APHA and Australian Standards. Analytical test methods are detailed in **Table 1**. ALS Environmental has been used to obtain analysis of anions, cations and dissolved metals (NATA Accreditation number 825).

 Table 1
 Analytical Test Methods

ANALYSIS	METHOD	UNITS	ANALYSING LABORATORY	NATA / NON- NATA
Determination of Suspended Particulate Matter	ENV-LAB003	μg/m³	RCA Laboratories – Environmental	NATA Analysis
Determination of Particulate Matter – Deposited Matter	ENV-LAB004	g/m ² .month	RCA Laboratories – Environmental	NATA Analysis
рН	ENV-LAB006	рН	RCA Laboratories – Environmental	NATA Analysis
Conductivity	ENV-LAB010	μS/cm	RCA Laboratories – Environmental	NATA Analysis
Total Suspended Solids	ENV-LAB009	mg/L	RCA Laboratories – Environmental	NATA Analysis
Turbidity	ENV-LAB037	NTU	RCA Laboratories - Environmental	NATA Analysis
Oil and Grease	ENV-LAB022	mg/L	RCA Laboratories - Environmental	Non-NATA Analysis
Major Anions (Alkalinity, Cl, SO ₄)	ED037, ED041, ED045	mg/L	ALS	NATA Analysis
Major Cations (Ca, Mg, Na, K)	ED093	mg/L	ALS	NATA Analysis
Dissolved Metals	EG020F	mg/L	ALS	NATA Analysis

3 WATER MONITORING RESULTS

3.1 GROUNDWATER

A total of 2 on-site groundwater samples were collected during the month of July 2017. Water quality analysis results are shown in **Table 2**.

 Table 2
 Groundwater Analysis Results – Monthly Monitoring

ANALYSIS	UNITS	P6	P7				
Sample Number	-	07176880009	07176880010				
Date Sampled	-	10/07/17	10/07/17				
Time Sampled	-	12:37	13:19				
Depth to Water from Surface	m	24.45	6.93				
Water Level (AHD)	m	892.50	887.47				
Temperature	°C	15.0	15.0				
рН	рН	6.16	6.31				
Conductivity	μS/cm	1450	843				
Turbidity	NTU	44					
Dissolved Oxygen	mg/L	2.8					
TSS	mg/L	57					
Oil and Grease	mg/L	<5					
Bicarbonate Alkalinity (CaCO ₃)	mg/L	82					
Total Alkalinity (CaCO ₃)	mg/L	82					
Sulfate (as SO ₄)	mg/L	558					
Chloride	mg/L	30					
Calcium	mg/L	118					
Magnesium	mg/L	57					
Sodium	mg/L	50					
Potassium	mg/L	18					
Cobalt (dissolved)	mg/L	0.071					
Manganese (dissolved)	mg/L	2.66					
Nickel (dissolved)	mg/L	0.106					
Zinc (dissolved)	mg/L	0.052					
Iron (dissolved)	mg/L	34.1					
Trigger Levels							
pH trigger level	рН	6.2 – 8.0	6.3 – 8.0				
Conductivity trigger level	μS/cm	1180	852				
Water Level (AHD) #	m	887.90	883.28				

NOTES: *Depth relative to ground level (not standpipe height).

Indicates analysis was not required

Results shown in italics indicates exceedance of trigger level

Groundwater monitoring locations are shown in **Appendix 1**.

3.2 EPA SURFACE WATER MONITORING

Routine quarterly surface water monitoring was not required to be undertaken during the July 2017 monitoring event at three surface water sites (EPA Point 2, 3 and 14). Routine quarterly monitoring is scheduled to be undertaken in August 2017.



4 AIR QUALITY MONITORING RESULTS

4.1 HIGH VOLUME AIR SAMPLERS (HVAS)

HVAS at this facility conform to AS/NZS 3580.9.3:2015, AS/NZS 3580.9.6:2015 and AS/NZS 3580.1.1:2016.

HVAS Total Suspended Particulate analysis results are shown in **Table 3**. PM₁₀ Suspended Particulate Matter results are shown in **Table 4**.

Table 3 Total Suspended Particulates (μg/m³ 0°C 101.3 kPa)

RUN DATE	TSP (μg/m³)	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
5-Jul-17	7	07176880029	9417877	07-Jul-17	5:35	Client	24.00
11-Jul-17	10	07176880031	9417879	15-Jul-17	13:05	Client	24.24
17-Jul-17	10	07176880033	9417881	22-Jul-17	7:37	Client	24.00
23-Jul-17	14	07176880035	9417883	28-Jul-17	14:40	Client	14.41^
29-Jul-17	5	07176880037	9326313	31-Jul-17	6:50	Client	24.00

Table 4 Suspended Particulate Matter PM₁₀ (μg/m³ 0°C 101.3 kPa)

RUN DATE	PM ₁₀ SAMPLE (μg/m³) NUMBER		FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
5-Jul-17	1	07176880030	9417878	07-Jul-17	5:40	Client	24.00
11-Jul-17	2	07176880032	9417880	15-Jul-17	13:10	Client	24.27
17-Jul-17	3	07176880034	9417882	22-Jul-17	7:40	Client	24.00
23-Jul-17	5	07176880036	9417884	28-Jul-17	14:45	Client	24.00
29-Jul-17	1	07176880038	9326314	31-Jul-17	6:55	Client	24.00

^The HVAS TSP run date on the 23rd July did not run for 24 hours (±1 hr) and therefore does not conform to AS 3580.9.6:2015

4.1.1 TSP Summary

The NSW EPA Annual Mean TSP allowable limit is $90\mu g/m^3$. All TSP HVAS results recorded during this monitoring period are in compliance with consent conditions, as the *current rolling annual mean* (from August 2016 to July 2017) for the TSP unit is $20.0\mu g/m^3$, which is well below the allowable limit of $90\mu g/m^3$.

4.1.2 **PM**₁₀ Summary

The NSW EPA 24h Maximum PM_{10} allowable limit is $50\mu g/m^3$. The EPA Annual Mean PM_{10} allowable limit is $25\mu g/m^3$. All PM_{10} HVAS results recorded during this monitoring period conform to consent conditions, as the *current rolling annual mean* for the PM_{10} unit is $9.6\mu g/m^3$, which is below the allowable limit of $25\mu g/m^3$. The 24 hour maximum allowable limit of $50\mu g/m^3$ was not exceeded during the month of July 2017

4.1.3 Comments

HVAS monitoring locations are shown in **Appendix 1**. Graphical HVAS results presentations are shown in **Appendix 2**.



4.2 DEPOSITIONAL DUST

Depositional Dust Gauges at this facility conform to AS/NZS 3580.10.1:2016 and AS/NZS 3580.1.1:2016. Depositional Dust monitoring results are shown in **Table 5**.

Table 5 Depositional Dust Monitoring - Deposited Matter – July 2017

SAMPLE NUMBER	DEPOSIT GAUGE	DATE SAMPLE STARTED	DATE SAMPLE COMPLETED	NUMBER OF DAYS	NOTES	INSOLUBLE SOLIDS (g/m².month)	ASH (g/m².month)	COMBUSTIBLE MATTER (g/m².month)
07176880019	D1	8/06/2017	10/07/2017	32	I	0.3	<0.1	0.3
07176880020	D2	8/06/2017	10/07/2017	32	I	0.2	0.1	0.1
07176880021	D3	8/06/2017	10/07/2017	32	I	0.1	<0.1	0.1
07176880022	D4	8/06/2017	10/07/2017	32	I	0.2	0.1	0.1
07176880023	D5	8/06/2017	10/07/2017	32	I	0.2	<0.1	0.2
07176880024	D6	8/06/2017	10/07/2017	32	I	0.3	0.1	0.2

Glossary of Terms Used in Notes:

4.2.1 Allowable Depositional Dust Limits

The EPA Long Term (Annual Average) Dust Limit is 4g/m² per month. All Depositional Dust results during this monitoring period are in compliance with consent conditions. The Annual Average for Dust Gauges D1, D2, D3, D4, D5 and D6 are all less than or equal to 0.9g/m² per month, which is below the allowable Annual Average Long Term Limit of 4g/m² per month.

Depositional Dust monitoring locations are shown in **Appendix 1**. Graphical Depositional Dust results are shown in **Appendix 2**.



I Insects (eg, Ants, Spiders)

5 BLASTING RESULTS

No blasting was undertaken during this month as mining operations have ceased since the end of March 2014.

6 NOISE MONITORING RESULTS

Due to inclement weather, the routine quarterly noise monitoring was re-scheduled to be undertaken in August 2017.

7 OPERATIONAL ACTIVITIES

All of the approved minable reserves at the Pine Dale Mine have now been exhausted. Operational mining and the last coal sales ceased as of the end of March 2014.

All former operators have been made redundant; however some statutory positions still remain. Pine Dale Mine has been placed in care and maintenance since April 2014.

8 SUMMARY

During the month of July 2017 environmental monitoring constituents were found to be generally in compliance with EPL 4911 with the exception of electrical conductivity in groundwater sample P6.

Standing water levels within the site groundwater bores were compliant with their respective trigger levels. The pH at both bores P6 and P7 were compliant with the respective trigger levels range. The electrical conductivity at bore P6 exceeded the respective trigger level. The electrical conductivity at bore P7 was compliant with the respective trigger level.

Rolling annual averages from both the TSP and PM_{10} High Volume Air Samplers are currently well below the EPA Annual Mean TSP and PM_{10} criterion of $90\mu g/m^3$ and $25\mu g/m^3$ respectively.

Currently there are no depositional dust gauge results which are greater than the EPA Long Term (annual average) criteria of 4g/m².month based upon a rolling average of the past 12 months.

Pine Dale Mine ceased operation in March 2014 and therefore no blasting occurred at the site.

This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.

Please contact the undersigned if you have any queries.

Yours sincerely


Carmen Rocher Environmental Engineer RCA Australia Pty Ltd Karen Tripp Senior Environmental Scientist/Hygienist RCA Australia Pty Ltd


A Inp




Appendix 1

Surface Water Groundwater and Air Quality Monitoring Locations











Appendix 2

Depositional Dust and HVAS Graphs













Appendix 3


Meteorological Data



















Source data: Metford.SCM 10 minutely data - Ave WndDir (deg) 10 minutely data - Ave WindSpd (m/sec)