



**JULY 2021 AIR, WATER, NOISE AND METEOROLOGICAL  
MONITORING**


**PINE DALE MINE, BLACKMANS FLAT**

**Prepared for Pine Dale Mine Community Consultative Committee**

**Prepared by RCA Australia**

**RCA ref 6880-1859**

**AUGUST 2021**



## RCA AUSTRALIA

ABN 53 063 515 711

92 Hill Street, CARRINGTON NSW 2294


Telephone: +61 2 4902 9200

Facsimile: +61 2 4902 9299

Email: [administrator@rca.com.au](mailto:administrator@rca.com.au)

Internet: [www.rca.com.au](http://www.rca.com.au)

This document is and shall remain the property of RCA Australia. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement. Unauthorised use of this document in any form whatsoever is prohibited.

DOCUMENT STATUS						
Rev No	Comment	Author	Reviewer	Approved for Issue (Project Manager)		
				Name	Signature	Date
/0	Final	K Nealon	Z Laughlan	K Nealon		16.08.21

DOCUMENT DISTRIBUTION				
Rev No	Copies	Format	Issued to	Date
/0	1	Electronic (email)	Pine Dale Mine – Graham Goodwin <a href="mailto:graham.goodwin@energyaustralia.com.au">graham.goodwin@energyaustralia.com.au</a>	16.08.21
/0	1	Electronic (email)	EnergyAustralia Mark Frewin <a href="mailto:mark.frewin@energyaustralia.com.au">mark.frewin@energyaustralia.com.au</a> Ben Eastwood <a href="mailto:ben.eastwood@energyaustralia.com.au">ben.eastwood@energyaustralia.com.au</a> Edwina White <a href="mailto:edwina.white@energyaustralia.com.au">edwina.white@energyaustralia.com.au</a>	16.08.21
/0	1	Electronic report	RCA – job archive	16.08.21



# Contents

1	INTRODUCTION .....	1
2	ANALYTICAL PROCEDURES.....	1
3	WATER MONITORING RESULTS.....	2
	3.1    GROUNDWATER.....	2
	3.2    SURFACE WATER MONITORING .....	4
4	AIR QUALITY RESULTS .....	4
	4.1    HIGH VOLUME AIR SAMPLERS (HVAS).....	4
	4.2    DEPOSITIONAL DUST MONITORING .....	4
	4.2.1    ALLOWABLE DEPOSITIONAL DUST LIMITS .....	4
5	METEOROLOGICAL MONITORING.....	5
6	BLASTING RESULTS.....	5
7	NOISE MONITORING RESULTS.....	5
8	OPERATIONAL ACTIVITIES .....	5
9	SUMMARY .....	5
10	LIMITATIONS.....	6

## APPENDIX A

### *MONITORING LOCATIONS*

## APPENDIX B

### *DEPOSITIONAL DUST GRAPHS*

## APPENDIX C

### *METEOROLOGICAL DATA*

RCA ref 6880-1859/0



16 August 2021

Enhance Place Pty Ltd  
PO Box 202  
WALLERWANG NSW 2845

Attention: Mr Graham Goodwin

- [Geotechnical Engineering](#)
- [Engineering Geology](#)
- [Environmental Engineering](#)
- [Hydrogeology](#)
- [Construction Materials Testing](#)
- [Environmental Monitoring](#)
- [Noise & Vibration](#)
- [Occupational Hygiene](#)

---

**REPORT COMPILED FOR COMMUNITY CONSULTATIVE COMMITTEE  
DETAILING AIR, WATER AND METEOROLOGICAL MONITORING AT PINE DALE  
UNDERTAKEN IN JULY 2021**

---

## **1 INTRODUCTION**

This report presents the results of air, water, noise and meteorological monitoring undertaken at Pine Dale Mine, Blackmans Flat during the month of July 2021.

Air and water samples were collected by RCA Laboratories – Environmental staff. Meteorological data was obtained from the Mount Piper Power Station (MPPS) weather station as supplied by Energy Australia due to battery failure of the Pine Dale weather station on 7 July. The MPPS weather station is situated 3.4km to the west of the Pine Dale weather station.

This report satisfies the requirements to monitor environmental parameters as presented in the Pine Dale Mine Environmental Protection Licence (EPL 4911).

## **2 ANALYTICAL PROCEDURES**

The analytical procedures used by RCA Laboratories – Environmental (NATA Accreditation number 9811) are based on established internationally recognised procedures such as APHA and Australian Standards. Analytical test methods are detailed in **Table 1**.

**Table 1** Analytical Test Methods

Analysis	Method	Units	Analysing Laboratory	NATA Accreditation Status
Determination of Suspended Particulate Matter	ENV-LAB003	µg/m <sup>3</sup>	RCA Laboratories – Environmental	NATA Analysis
Determination of Particulate Matter – Deposited Matter	ENV-LAB004	g/m <sup>2</sup> per month	RCA Laboratories – Environmental	NATA Analysis
pH	ENV-LAB006	pH	RCA Laboratories – Environmental	NATA Analysis
Conductivity	ENV-LAB010	µS/cm	RCA Laboratories – Environmental	NATA Analysis
Total Suspended Solids	ENV-LAB009	mg/L	RCA Laboratories – Environmental	NATA Analysis
Turbidity	ENV-LAB037	NTU	RCA Laboratories - Environmental	NATA Analysis
Oil and Grease	ENV-LAB022	mg/L	RCA Laboratories - Environmental	Non-NATA Analysis
Major Anions (Alkalinity, Cl, SO <sub>4</sub> )	ED037, ED041, ED045	mg/L	ALS	NATA Analysis
Major Cations (Ca, Mg, Na, K)	ED093	mg/L	ALS	NATA Analysis
Dissolved Metals	EG020F	mg/L	ALS	NATA Analysis

ALS Environmental has been used to obtain analysis of anions, cations and dissolved metals (NATA Accreditation number 825).

### 3 WATER MONITORING RESULTS

#### 3.1 GROUNDWATER

A total of two (2) groundwater samples were collected from within the Pine Dale Mine site during July 2021. Water quality analysis results are shown in **Table 2**. Groundwater monitoring locations are shown in **Appendix A**.

**Table 2** Groundwater Analysis Results

ANALYSIS	UNITS	P6	P7
Sample Number	-	07216880010	07216880011
Date Sampled	-	01/07/2021	01/07/2021
Time Sampled	-	15:25	16:16
Depth to Water from Surface	m	23.56	6.58
Water Level (AHD)	m	894.05	888.78
Temperature	°C	14.5	13.4
pH	pH	<b>6.00</b>	6.44
Conductivity	µS/cm	<b>1440</b>	<b>853</b>
Turbidity	NTU	52	
Dissolved Oxygen	mg/L	4.2	
Total Suspended Solids	mg/L	35.0	
Oil and Grease	mg/L	<5	
Bicarbonate Alkalinity (CaCO <sub>3</sub> )	mg/L	<1	
Total Alkalinity (CaCO <sub>3</sub> )	mg/L	<1	
Sulphate (as SO <sub>4</sub> )	mg/L	601	
Chloride	mg/L	50	
Calcium	mg/L	129	
Magnesium	mg/L	57	
Sodium	mg/L	60	
Potassium	mg/L	19	
Cobalt (dissolved)	mg/L	0.049	
Manganese (dissolved)	mg/L	2.5	
Nickel (dissolved)	mg/L	0.088	
Zinc (dissolved)	mg/L	0.031	
Iron (dissolved)	mg/L	31.4	
<b>Trigger Values</b>			
pH trigger level <sup>a</sup>	pH	6.2 – 8.0	6.3 – 8.0
Conductivity trigger level	µS/cm	1180	852
Water Level (AHD) <sup>b</sup>	m	887.90	883.28
<b>Revised Trigger Values<sup>c</sup></b>			
pH trigger level <sup>d</sup>	pH	5.6	6.3
Water Level (AHD) <sup>b</sup>	M	887.9	--

■ Indicates analysis was not required.

<sup>a</sup> pH trigger value is exceeded if the pH is outside the nominated range.

<sup>b</sup> Water Level trigger is exceeded if the AHD water level drops below the nominated trigger level.

<sup>c</sup> Proposed trigger values to be used alongside the currently approved trigger values.

<sup>d</sup> pH trigger value is exceeded if pH is below the nominated value.

Results shown in ***bold italics*** indicates exceedance of trigger value.

Results shown in underline indicates exceedance of revised trigger value.

### 3.2 SURFACE WATER MONITORING

Quarterly surface water monitoring was not required to be undertaken during July 2021; the next sampling is scheduled for August 2021.

## 4 AIR QUALITY RESULTS

### 4.1 HIGH VOLUME AIR SAMPLERS (HVAS)

Monitoring for TSP and PM<sub>10</sub> using HVAS was removed from Environment Protection Licence 4911 in November 2020. The Pine Dale Mine Air Quality and Greenhouse Gas Management Plan (AQGGMP) was reviewed and updated to reflect this change. The updated AQGGMP was submitted to the Department of Planning, Industry and Environment (DPIE) for endorsement. The AQGGMP was endorsed by DPIE on 4 December 2020 and was subsequently uploaded onto the Pine Dale Mine website.

### 4.2 DEPOSITIONAL DUST MONITORING

The depositional dust monitoring exposure period for July 2021 was 2 June – 2 July 2021. Depositional dust gauges at this facility conform to AS/NZS 3580.10.1:2016 and AS/NZS 3580.1.1:2016. The July exposure period was 30 days which is within the 30 ± 2 days dust exposure period stipulated in AS/NZS 3508.10.1:2016. Depositional dust monitoring results are shown in **Table 3**. Depositional dust monitoring locations are shown in **Appendix A**.

**Table 3** *Depositional Dust Monitoring*

Deposit Gauge	Number of Days	Notes	Insoluble Solids	Ash	Combustible Matter
D1	30	I	0.2	<0.1	0.2
D3	30	I	0.3	0.2	0.1
D4	30	IT	0.2	<0.1	0.2
D5	30	IT	0.2	<0.1	0.2
D6	30	I	0.1	<0.1	0.1

All units are g/m<sup>2</sup>/month

I – Insects (eg, Ants, Spiders)

T – Tree litter (leaves, gumnuts)

#### 4.2.1 ALLOWABLE DEPOSITIONAL DUST LIMITS

The EPA long term (annual average) deposited dust limit is 4g/m<sup>2</sup> per month. The rolling annual average depositional dust results for all sites within the period (August 2020 – July 2021) are in compliance with consent conditions. The annual average for dust gauges D1, D3, D4, D5 and D6 are all less than or equal to 0.7g/m<sup>2</sup> per month. Annual averages are shown in the depositional dust gauge graphs provided in **Appendix B**.

## 5 METEOROLOGICAL MONITORING

Pine Dale Mine records meteorological data continuously via an onsite weather station. The system battery on the Pine Dale weather station failed on the 7<sup>th</sup> July and no weather data has been able to be obtained from that date. Weather data for the month of July has been obtained from the MPPS weather station which is located 3.4km to the west of the Pine Dale weather station. For continuity in the data set, the Mount Piper data has been used for the whole month.

Details of the weather data recorded by the MPPS weather station during the period 1 to 31 July 2021 are shown in **Appendix C**.

Wind speeds observed during the month of July 2021 were predominantly between 0.5m/s and 2.1m/s; with the predominant wind direction from the westerly aspect. Total rainfall recorded at the MPPS weather station was 60.2mm which was greater than the amount recorded at Lithgow (Coerwull) BOM Station (51.6mm).

## 6 BLASTING RESULTS

No blasting was undertaken during this month as mining operations have ceased since the end of March 2014.

## 7 NOISE MONITORING RESULTS

Quarterly noise monitoring was not undertaken during July 2021; the next monitoring round is due before the end of September 2021.

## 8 OPERATIONAL ACTIVITIES

All of the approved minable reserves at the Pine Dale Mine have now been exhausted. Operational mining and the last coal sales ceased as of the end of March 2014.

Pine Dale Mine has been placed in care and maintenance since April 2014. All former operators have been made redundant; however, some statutory positions still remain.

## 9 SUMMARY

During the month of July 2021 environmental monitoring results were found to be generally in compliance with stipulated criteria with the exception of:

- The pH at onsite groundwater location P6 was below the lower site-specific trigger value.
- The electrical conductivity at onsite groundwater locations P6 and P7 was above the site-specific trigger value.

The pH at both P6 and P7 was above the revised lower site-specific trigger value and is therefore compliant. There is no limit for electrical conductivity as part of the revised trigger values, the electrical conductivity concentration at P6 and P7 is therefore compliant.

All depositional dust gauge results are well below the EPA Long Term (annual average) criteria of 4g/m<sup>2</sup>.month based upon a rolling average of the past 12 months.



Meteorological monitoring was undertaken until the 7<sup>th</sup> of July until which time the system battery on the weather station failed and no further data has been able to be obtained. Weather data from the nearby MPPS has been used for presentation of meteorological conditions.

Quarterly noise monitoring was not undertaken during July 2021; the next monitoring round is due before the end of September 2021.

Pine Dale Mine ceased operation in March 2014 and therefore no blasting occurred at the site.

## 10 LIMITATIONS

This report has been prepared for Enhance Place Pty Ltd in accordance with an agreement with RCA Australia (RCA). The services performed by RCA have been conducted in a manner consistent with that generally exercised by members of its profession and consulting practice.

This report has been prepared for the sole use of Enhance Place. The report may not contain sufficient information for purposes of other uses or for parties other than Enhance Place. This report shall only be presented in full and may not be used to support objectives other than those stated in the report without written permission from RCA Australia.

The information in this report is considered accurate at the date of issue with regard to the current conditions of the site. Conditions can vary across any site that cannot be explicitly defined by investigation.

Environmental conditions including contaminant concentrations can change in a limited period of time. This should be considered if the report is used following a significant period of time after the date of issue.

Yours faithfully

**RCA AUSTRALIA**




Kirsty Nealon  
Senior Environmental Scientist  
RCA Australia

# Appendix A


---

## Monitoring Locations



**LEGEND**

- |  |  |
|--|--|
|  Noise Monitoring Location             |  High Volume Air Sampling Location  |
|  Depositional Dust Monitoring Location |  Meteorological Monitoring Location |
|  Groundwater Monitoring Location       |  Surface Water Monitoring Location  |




**PINE DALE MINE  
ENVIRONMENTAL MONITORING  
LOCATION PLAN**

# Appendix B

---


## Depositional Dust Graphs




# Appendix C


---


Meteorological Data














Pine Dale Mine Community Consultative Committee  
 Air, Water, Noise and Meteorological Monitoring – July 2021  
 Pine Dale Mine, Blackmans Flat  
 RCA ref 6880-1859/0, August 2021

