


**GROUNDWATER, SURFACE WATER, DEPOSITIONAL DUST,  
HVAS AND METEOROLOGICAL MONITORING**

**Prepared for Pine Dale Mine Community Consultative Committee**

**Prepared by RCA Australia**

**RCA ref 6880-820/0**

**March 2013**



## RCA AUSTRALIA

ABN 53 063 515 711

92 Hill Street, CARRINGTON NSW 2294

Telephone: +61 2 4902 9200

Facsimile: +61 2 4902 9299

Email: [administrator@rca.com.au](mailto:administrator@rca.com.au)

Internet: [www.rca.com.au](http://www.rca.com.au)

This document is and shall remain the property of RCA Australia. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission supplied at the time of proposal. Unauthorised use of this document in any form whatsoever is prohibited.

DOCUMENT STATUS						
Rev No	Comment	Author	Reviewer	Approved for Issue (Project Manager)		
				Name	Signature	Date
/0	Final	K Shaw	K Tripp	K Tripp		17.05.13

DOCUMENT DISTRIBUTION				
Rev No	Copies	Format	Issued to	Date
/0	1	Electronic (email)	Pine Dale Mine – Graham Goodwin <a href="mailto:graham.goodwin@energyaustralia.com.au">graham.goodwin@energyaustralia.com.au</a>	17.05.13
/0	1	Electronic (email)	EnergyAustralia – Tom Hurdley <a href="mailto:tom.hurdley@energyaustralia.com.au">tom.hurdley@energyaustralia.com.au</a>	17.05.13
/0	1	Electronic (email)	Truenergy- Mark Frewin <a href="mailto:mark.frewin@truenergy.com.au">mark.frewin@truenergy.com.au</a>	17.05.13
/0	1	Electronic (email)	Lithgow City Council – Skye Ellacott <a href="mailto:Skye.Ellacott@lithgow.nsw.gov.au">Skye.Ellacott@lithgow.nsw.gov.au</a>	17.05.13
/0	1	Bound report	Pine Dale Mine – Graham Goodwin PO Box 202, Wallerawang NSW 2845	17.05.13
/0	1	Electronic report	RCA – job archive	17.05.13

RCA LE ref 6880-820/0

17 May 2013

Pine Dale Mine  
PO Box 202  
WALLERAWANG NSW 2845

Attention: Mr Graham Goodwin

---

**REPORT COMPILED FOR  
PINE DALE MINE COMMUNITY CONSULTATIVE COMMITTEE  
DETAILING GROUND WATER, DEPOSITIONAL DUST  
HVAS AND METEOROLOGICAL MONITORING  
MARCH 2013**

---

## 1 GENERAL COMMENTS

Job Number: 6880.

Date Samples Received: During the month of March 2013.

Samples received were sampled by RCA Laboratories – Environmental staff.

## 2 ANALYTICAL PROCEDURES

The analytical procedures used by RCA Laboratories – Environmental are based on established internationally recognised procedures such as APHA and Australian Standards. Analytical test methods are detailed in **Table 1**. When an external testing laboratory is used to obtain the analysis of samples which become a part of this report, then the details of that laboratory's official report will be attached in an Appendix.

**Table 1** *Analytical Test Methods*

ANALYSIS	METHOD	UNITS	ANALYSING LABORATORY	NATA / NON-NATA ANALYSIS
Determination of Suspended Particulate Matter	ENV-LAB003	µg/m <sup>3</sup>	RCA Laboratories - Environmental	NATA Analysis
Determination of Particulate Matter – Deposited Matter	ENV-LAB004	g/m <sup>2</sup> /month	RCA Laboratories - Environmental	NATA Analysis
pH	ENV-LAB006	pH	RCA Laboratories - Environmental	NATA Analysis
Conductivity	ENV-LAB010	µS/cm	RCA Laboratories - Environmental	NATA Analysis
Total Suspended Solids	ENV-LAB009	mg/L	RCA Laboratories - Environmental	NATA Analysis
Total Dissolved Solids	ENV-LAB020	mg/L	RCA Laboratories - Environmental	NATA Analysis
Turbidity	ENV-LAB037	NTU	RCA Laboratories - Environmental	NATA Analysis
Oil and Grease	ENV-LAB022	mg/L	RCA Laboratories - Environmental	Non-NATA Analysis
Major Anions (Alkalinity, Cl, SO <sub>4</sub> )	ED037, ED041, ED045	mg/L	ALS	NATA Analysis
Major Cations (Ca, Mg, Na, K)	ED093	mg/L	ALS	NATA Analysis
Dissolved Metals	EG020F	mg/L	ALS	NATA Analysis

### 3 WATER ANALYSIS RESULTS

#### 3.1 GROUNDWATER

A total of 5 on-site groundwater samples were collected during the month of March 2013. No sample was collected from groundwater monitoring location P4 as the bore did not contain sufficient water to sample.

Water quality analysis results are shown in **Table 2**.

**Table 2** *Groundwater Analysis Results*

ANALYSIS	UNITS	P2	P3	P6	P7	P7a
Sample Number		03136880019	03136880020	03136880010	03136880021	03136880022
Date Sampled	-	20/03/2013	20/03/2013	20/03/2013	20/03/2013	20/03/2013
Time Sampled	-	16:10	16:07	15:06	15:49	15:55
Standing Water Level	m	4.80	5.44	26.58	7.56	5.58
Standpipe Height	m	0.95	0.66	0.95	1.00	0.90
Relative Standing Water Level*	m	3.85	4.78	26.63	6.56	4.68
pH	pH unit	4.7	4.6	7.1	7.5	7.1
Conductivity	µS/cm	234	474	968	741	815

**NOTES:** \*Depth relative to ground level (not standpipe height).

Groundwater monitoring locations are shown in **Appendix 1**.

### 3.2 EPA SURFACE WATER MONITORING

Routine quarterly surface waters were not scheduled to be monitored this month. Quarterly surface water monitoring is next scheduled to be undertaken in May 2013.

## 4 AIR QUALITY MONITORING RESULTS

### 4.1 HIGH VOLUME AIR SAMPLERS (HVAS)

HVAS at this facility conform to AS/NZS 3580.9.3:2003, AS/NZS 3580.9.6:2003 and AS/NZS 3580.1.1:2007.

HVAS Total Suspended Particulate analysis results are shown in **Table 4**; PM<sub>10</sub> Suspended Particulate Matter results are shown in **Table 5**.

**Table 4** Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$  0°C 101.3 kPa)

RUN DATE	TSP ( $\mu\text{g}/\text{m}^3$ )	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
04-Mar-13	21	03136880043	8697686	07-Mar-13	10:35	Client	24.00
10-Mar-13	11	03136880045	8697688	12-Mar-13	11:45	Client	24.00
16-Mar-13	34	03136880047	8697689	19-Mar-13	2:30	Client	24.00
22-Mar-13	44	03136880049	8697691	26-Mar-13	2:05	Client	24.21
28-Mar-13	22	03136880051	8606001	02-Apr-13	10:40	Client	24.00

**Table 5** Suspended Particulate Matter PM<sub>10</sub> ( $\mu\text{g}/\text{m}^3$  0°C 101.3 kPa)

RUN DATE	PM <sub>10</sub> ( $\mu\text{g}/\text{m}^3$ )	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
04-Mar-13	12	03136880044	8697685	07-Mar-13	10:35	Client	24.00
10-Mar-13	8	03136880046	8697687	12-Mar-13	11:45	Client	24.00
16-Mar-13	17	03136880048	8697690	19-Mar-13	2:30	Client	24.00
22-Mar-13	15	03136880050	8697692	26-Mar-13	2:05	Client	24.26
28-Mar-13	15	03136880052	8697693	02-Apr-13	10:40	Client	24.00

#### 4.1.1 Allowable TSP Limits

The EPA Annual Mean TSP allowable limit is  $90\mu\text{g}/\text{m}^3$ . All TSP HVAS results recorded during this monitoring period are in compliance with consent conditions, as the *current rolling annual mean* (from April 2012 to March 2013) for the TSP unit is  $24.9\mu\text{g}/\text{m}^3$ , which is well below the allowable limit of  $90\mu\text{g}/\text{m}^3$ .

#### **4.1.2 Allowable PM<sub>10</sub> Limits**

The EPA 24h Maximum PM<sub>10</sub> allowable limit is 50µg/m<sup>3</sup>. The EPA Annual Mean PM<sub>10</sub> allowable limit is 30µg/m<sup>3</sup>. All PM<sub>10</sub> HVAS results recorded during this monitoring period conform to consent conditions, as the *current rolling annual mean* for the PM<sub>10</sub> unit is 11.7µg/m<sup>3</sup>, which is below the allowable limit of 30µg/m<sup>3</sup>. The 24 hour maximum allowable limit of 50µg/m<sup>3</sup> was not exceeded on any run day during the March 2013 monitoring period.

#### **4.1.3 Comments**

HVAS monitoring locations are shown in **Appendix 1**.

Graphical HVAS results presentations are shown in **Appendix 2**.

## 4.2 DEPOSITIONAL DUST

Depositional Dust Gauges at this facility conform to AS/NZS 3580.10.1:2003 and AS/NZS 3580.1.1:2007. Depositional Dust monitoring results are shown in **Table 6**.

**Table 6** *Depositional Dust Monitoring - Deposited Matter March 2013*

SAMPLE NO	DEPOSIT GAUGE	DATE SAMPLE STARTED	DATE SAMPLE COMPLETED	NO OF DAYS	NOTES	INSOLUBLE SOLIDS (g/m <sup>2</sup> /month)	ASH (g/m <sup>2</sup> /month)	COMBUSTIBLE MATTER (g/m <sup>2</sup> /month)
03136880033	D1	20/02/2013	20/03/2013	28	I	0.5	0.2	0.3
03136880034	D2	20/02/2013	20/03/2013	28	I	0.8	0.4	0.4
03136880035	D3	20/02/2013	20/03/2013	28	I	0.4	0.1	0.3
03136880036	D4	20/02/2013	20/03/2013	28	I	0.4	0.1	0.3
03136880037	D5	20/02/2013	20/03/2013	28	I	0.5	0.2	0.3
03136880038	D6	20/02/2013	20/03/2013	28	I	0.6	0.4	0.2

### 4.2.1 Glossary of Terms Used in Notes

I Insects (eg, ants, spiders)

### 4.2.2 Allowable Depositional Dust Limits

The EPA Long Term (Annual Average) Dust Limit is 4g/m<sup>2</sup> per month. All Depositional Dust results during this monitoring period are in compliance with consent conditions. The Annual Average for Dust Gauges D1, D2, D3, D4, D5 and D6 are all less than 1.0g/m<sup>2</sup> per month, which is below the allowable Annual Average Long Term Limit of 4g/m<sup>2</sup> per month.

Depositional Dust monitoring locations are shown in **Appendix 1**.

Graphical Depositional Dust results are shown in **Appendix 2**.

### 4.3 BLASTING

Blasting results for the month of March are shown in **Table 7**.

**Table 7** *Blasting Results- Airblast Overpressure (dB) and Ground Vibration (mm/sec)*

Date	<b>Park</b>		<b>Noon St.</b>		<b>Summer St.</b>	
	Overpressure (dB)	Vibration (mm/sec)	Overpressure (dB)	Vibration (mm/sec)	Overpressure (dB)	Vibration (mm/sec)
14/03/2013	NT	NT	NT	NT	110.4	2.10
28/03/2013	NT	NT	NT	NT	107.2	0.3
<b>2012- 2013 Year to Date Information</b>						
Minimum	103.90	0.32	99.1	0.09	95.70	0.10
Average	110.6	2.2	109.4	1.2	108.8	1.5
Maximum	114.6	3.87	114.4	2.69	116.30	4.58
% > EPL 95% Compliance Criteria	0.0%	0.0%	0.0%	0.0%	2.6%	0.0%
% > EPL 100% Compliance Criteria	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

**Notes:** NT No Trigger. Blast monitoring unit was not triggered during the blast.

---

### 4.3.1 Allowable Blasting Limits

Conditions of EPL 4911 state that in relation to airblast overpressure levels a result of greater than 115dB must not be observed at any noise sensitive location for more than 5% of the total number of blasts over each annual reporting period. All blasts within the annual reporting period (100% of blasts) are not to exceed the compliance criteria of 120dB. Ground vibration peak velocity levels must not exceed 5mm/sec for 95% of blasts, whilst an intensity of 10mm/sec must not be exceeded by any blast during the reporting period. The reporting period runs as a rolling 12-month average from April 2012 to March 2013.

During March 2013, there were nil exceedances of the EPL conditions for both overpressure and vibration levels. For the rolling annual average, there have been zero blasts which have exceeded the 100% compliance conditions of 120dB and 10mm/sec for overpressure and vibration respectively. The overpressure and vibration criteria of 115dB and 5mm/sec, respectively, have not been exceeded for more than 5% of the blasts during the reporting period.

Graphical blasting results from overpressure and vibration are presented in **Appendix 2**.

## 5 OPERATIONAL ACTIVITIES

Throughout March 2013 production at Pine Dale Mine has been concentrated in Blocks 6, 7 and 8 within strips 9 and 10.

Relatively low rainfall was observed throughout the month, 41.0 mm total, which predominantly fell within the first 4 days of the month and therefore production materials targets have been achieved this month. In total 200,000 tonnes of overburden were excavated and 25,000 tonnes of coal delivered to Mt Piper Power Station. Operations this month were principally undertaken with the use of two excavators and three trucks.

At present, due to the warmer than average weather being observed, Purple Copper Butterfly monitoring is continuing.

## 6 SUMMARY

During the month of March 2013 all environmental monitoring constituents were found to be in compliance with EPL 4911.

Quarterly surface waters were not scheduled to be sampled this month. Surface water Quality monitoring is next scheduled to be undertaken in May 2013.

Rolling annual averages from both the TSP and PM<sub>10</sub> High Volume Air Samplers are currently well below the EPA Annual Mean TSP and PM<sub>10</sub> criterion of 90µg/m<sup>3</sup> and 30µg/m<sup>3</sup> respectively. There were zero exceedances of the PM<sub>10</sub> short term impact assessment criteria of 50µg/m<sup>3</sup> over twenty-four hours during March 2013.

Currently there are no depositional dust gauge results which are greater than the EPA Long Term (annual average) criteria of 4g/m<sup>2</sup>/month based upon a rolling average of the past 12 months.

---

During March there were nil exceedances of the blasting requirements documented in the Pine Dale Mine EPL. During the previous twelve month reporting period, there were nil non-conformance's based upon the 95% or 100% limits for either overpressure or vibration levels.

*This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.*

Please contact the undersigned if you have any queries.

Yours sincerely



Katy Shaw  
Environmental Scientist  
RCA Australia Pty Ltd trading as  
RCA Laboratories – Environmental




Karen Tripp  
Senior Environmental Scientist/Hygienist  
RCA Australia Pty Ltd trading as  
RCA Laboratories – Environmental

# Appendix 1

---

## Groundwater and Air Quality Monitoring Locations




REFERENCE  
— Mine Site Boundary (ML\_XYZ)  
● P4 Groundwater Monitoring Location

SCALE 1:20 000



Figure GW1  
GROUNDWATER MONITORING LOCATIONS





REFERENCE  
 — Mine Lease Boundary (ML1578)  
 ■ Residence  
 DDG1 ▽ Air Quality Monitoring Location (Deposited Dust)  
 HVAS ▲ Air Quality Monitoring Location (High Volume Sampling)

SCALE 1:20 000




Figure AQ1  
AIR QUALITY MONITORING LOCATIONS

# Appendix 2


---



Depositional Dust, HVAS and Blast Result Graphs

**Pine Dale Mine  
Depositional Dust Gauge Comparative Results  
February 2013 - March 2013**




**Pine Dale Mine  
Deposited Matter - Insoluble Solids 12 Months Comparative Results  
April 2012- March 2013**






**Pine Dale Mine  
Blasting- Airblast Overpressure  
April 2012- March 2013 Comparable Data**



**Pine Dale Mine  
Blasting- Ground Vibration  
April 2012- March 2013 Comparable Data**




# Appendix 3

---


Meteorological Data

**Blackmans Flat NSW**  
**Total Rainfall - Period: 1/03/2013 to 31/03/2013**



Total Rainfall for March 2013: 41.0 mm

**Blackmans Flat NSW**  
**Average Air Temperature - Period: 1/03/2013 to 31/03/2013**





### Neubecks Creek - Blackmans Flat NSW Average Depth & Velocity vs. Rainfall- Period: 1/03/2013 to 31/03/2013

