

SURFACE WATER, DEPOSITIONAL DUST, HVAS AND METEOROLOGICAL MONITORING


Prepared for Pine Dale Mine Community Consultative Committee

Prepared by RCA Australia

RCA ref 6880-1725/0

October 2016





RCA AUSTRALIA

ABN 53 063 515 711 92 Hill Street, CARRINGTON NSW 2294

Telephone: +61 2 4902 9200 Facsimile: +61 2 4902 9299 Email: <u>administrator@rca.com.au</u> Internet: <u>www.rca.com.au</u>

This document is and shall remain the property of RCA Australia. The document may only be used for the purpose for which it was commissioned and in accordance with the Terms of Engagement for the commission supplied at the time of proposal. Unauthorised use of this document in any form whatsoever is prohibited.

	DOCUMENT STATUS									
Rev				Approved for Issue (Project Manager)						
No	Comment	Author	Reviewer	Name	Signature	Date				
/0	Final	C Rocher	K Tripp	K Tripp	AT	16.11.16				

	DOCUMENT DISTRIBUTION								
Rev No	Copies	Copies Format Issued to							
/0	1	Electronic (email)	Pine Dale Mine – Graham Goodwin graham.goodwin@energyaustralia.com.au	16.11.16					
/0	1	Electronic (email)	EnergyAustralia- Mark Frewin mark.frewin@energyaustralia.com.au	16.11.16					
/0	1	Electronic (email)	Lithgow City Council – Andrew Muir andrew.muir@lithgow.nsw.gov.au	16.11.16					
/0	1	Electronic report	RCA – job archive	16.11.16					





RCA LE ref 6880-1725/0



16 November 2016

Pine Dale Mine PO Box 202 WALLERAWANG NSW 2845

Attention Mr Graham Goodwin

REPORT COMPILED FOR PINE DALE MINE COMMUNITY CONSULTATIVE COMMITTEE DETAILING SURFACE WATER, GROUNDWATER DEPOSITIONAL DUST, HVAS AND METEOROLOGICAL MONITORING OCTOBER 2016

1 GENERAL COMMENTS

Job Number: 6880.

Date Samples Received: During the month of October 2016.

Samples received were sampled by RCA Laboratories – Environmental staff.

This report satisfies the requirements to monitor environmental parameters as presented in the Pine Dale Mine Environmental Protection Licence (EPL 4911).

2 ANALYTICAL PROCEDURES

The analytical procedures used by RCA Laboratories – Environmental are based on established internationally recognised procedures such as APHA and Australian Standards. Analytical test methods are detailed in **Table 1**. When an external testing laboratory is used to obtain the analysis of samples which become a part of this report, then the details of that laboratory's official report will be attached in an Appendix.

 Table 1
 Analytical Test Methods

ANALYSIS	METHOD	UNITS	ANALYSING LABORATORY	NATA / NON- NATA ANALYSIS
Determination of Suspended Particulate Matter	ENV-LAB003	µg/m³	RCA Laboratories – Environmental	NATA Analysis
Determination of Particulate Matter – Deposited Matter	ENV-LAB004	g/m ² .month	RCA Laboratories – Environmental	NATA Analysis
рН	ENV-LAB006	рН	RCA Laboratories – Environmental	NATA Analysis
Conductivity	ENV-LAB010	μS/cm	RCA Laboratories – Environmental	NATA Analysis
Total Suspended Solids	ENV-LAB009	mg/L	RCA Laboratories – Environmental	NATA Analysis
Turbidity	ENV-LAB037	NTU	RCA Laboratories - Environmental	NATA Analysis
Oil and Grease	ENV-LAB022	mg/L	RCA Laboratories - Environmental	Non-NATA Analysis
Major Anions (Alkalinity, CI, SO ₄)	ED037, ED041, ED045	mg/L	ALS	NATA Analysis
Major Cations (Ca, Mg, Na, K)	ED093	mg/L	ALS	NATA Analysis
Dissolved Metals	EG020F	mg/L	ALS	NATA Analysis

3 WATER MONITORING RESULTS

3.1 GROUNDWATER

A total of 2 on-site groundwater samples were collected during the month of October 2016. Sampling at Bores P2, P3 and P7a are no longer required under the new sampling regime undertaken in accordance with Project Approval (PA 10_0041) and the Pine Dale Mine Water Management Plan (Report No. 613/20). This sampling regime commenced 1 August 2013. Water quality analysis results are shown in **Table 2**.

 Table 2
 Groundwater Analysis Results – Monthly Monitoring

ANALYSIS	UNITS	P6	P7				
Sample Number	-	10166880009	10166880010				
Date Sampled	-	06/10/16	6/10/16				
Time Sampled	-	10:55	9:50				
Depth to Water from Surface	m	23.36	6.14				
Water Level (AHD)	m	893.59	888.26				
Temperature	°C	15.5	14.8				
pH	рН	6.25	6.46				
Conductivity	μS/cm	1173	759				
Turbidity	NTU	53					
Dissolved Oxygen	mg/L	0.0					
TSS	mg/L	31					
Oil and Grease	mg/L	<5					
Bicarbonate Alkalinity (CaCO ₃)	mg/L	48					
Total Alkalinity (CaCO ₃)	mg/L	48					
Sulfate (as SO ₄)	mg/L	672					
Chloride	mg/L	38					
Calcium	mg/L	132					
Magnesium	mg/L	65					
Sodium	mg/L	59					
Potassium	mg/L	19					
Cobalt (dissolved)	mg/L	0.059					
Manganese (dissolved)	mg/L	2.81					
Nickel (dissolved)	mg/L	0.11					
Zinc (dissolved)	mg/L	0.4					
Iron (dissolved)	mg/L	26.4					
Trigger Levels							
pH trigger level	рН	6.2 - 8.0	6.3 - 8.0				
Conductivity trigger level	μS/cm	1180	852				
Water Level (AHD) #	m	887.90	883.28				

NOTES: *Depth relative to ground level (not standpipe height).

Indicates analysis was not required

Results shown in *italics* indicates exceedance of trigger level

Groundwater monitoring locations are shown in Appendix 1.



3.2 EPA SURFACE WATER MONITORING

Routine quarterly surface water monitoring was not required to be undertaken this month. The next EPA surface water monitoring event is scheduled for November 2016.

4 AIR QUALITY MONITORING RESULTS

4.1 HIGH VOLUME AIR SAMPLERS (HVAS)

HVAS at this facility conform to AS/NZS 3580.9.3:2015, AS/NZS 3580.9.6:2003 and AS/NZS 3580.1.1:2007.

HVAS Total Suspended Particulate analysis results are shown in **Table 3**. PM₁₀ Suspended Particulate Matter results are shown in **Table 4**.

Table 3 Total Suspended Particulates (μg/m³ 0°C 101.3 kPa)

RUN DATE	TSP (µg/m³)	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
02-Oct-16							
08-Oct-16	21	10166880031	9314103	12-Oct-16	12:10	Client	24.00
14-Oct-16	16	10166880033	9314107	15-Oct-16	10:50	Client	24.00
20-Oct-16	17	10166880035	9314109	21-Oct-16	5:30	Client	24.00
26-Oct-16	24	10166880037	9314111	29-Oct-16	3:55	Client	24.00

Table 4 Suspended Particulate Matter PM₁₀ (μg/m³ 0°C 101.3 kPa)

RUN DATE	PM ₁₀ (μg/m³)	SAMPLE NUMBER	FILTER NUMBER	DATE FILTER OFF	TIME FILTER OFF	FIELD TECH	HOURS RUN
2-Oct-16	1				-	-	
8-Oct-16	9	10166880032	9314106	12-Oct-16	12:20	Client	24.00
14-Oct-16	6	10166880034	9314108	15-Oct-16	10:55	Client	24.00
20-Oct-16	7	10166880036	9314110	21-Oct-16	5:35	Client	24.00
26-Oct-16	8	10166880038	9314112	29-Oct-16	3:57	Client	24.01

Note: Filters for HVAS run date 2/10/16 had not been received at time of report production.

4.1.1 TSP Summary

The EPA Annual Mean TSP allowable limit is $90\mu g/m^3$. All TSP HVAS results recorded during this monitoring period are in compliance with consent conditions, as the *current rolling annual mean* (from October 2015 to November 2016) for the TSP unit is $19.5\mu g/m^3$, which is well below the allowable limit of $90\mu g/m^3$.

4.1.2 **PM**₁₀ Summary

The EPA 24h Maximum PM_{10} allowable limit is $50\mu g/m^3$. The EPA Annual Mean PM_{10} allowable limit is $30\mu g/m^3$. All PM_{10} HVAS results recorded during this monitoring period conform to consent conditions, as the *current rolling annual mean* for the PM_{10} unit is $7.5\mu g/m^3$, which is below the allowable limit of $30\mu g/m^3$. The 24 hour maximum allowable limit of $50\mu g/m^3$ was not exceeded during the month of October 2016.

4.1.3 Comments

HVAS monitoring locations are shown in **Appendix 1**. Graphical HVAS results presentations are shown in **Appendix 2**.



4.2 DEPOSITIONAL DUST

Depositional Dust Gauges at this facility conform to AS/NZS 3580.10.1:2003 and AS/NZS 3580.1.1:2007. Depositional Dust monitoring results are shown in **Table 5**.

 Table 5
 Depositional Dust Monitoring - Deposited Matter - October 2016

SAMPLE NUMBER	DEPOSIT GAUGE	DATE SAMPLE STARTED	DATE SAMPLE COMPLETED	NUMBER OF DAYS	NOTES	INSOLUBLE SOLIDS (g/m².month)	ASH (g/m².month)	COMBUSTIBLE MATTER (g/m².month)
10166880019	D1	6/09/2016	6/10/2016	30	I	0.9	0.2	0.7
10166880020	D2	6/09/2016	6/10/2016	30	I	0.7	0.1	0.6
10166880021	D3	6/09/2016	6/10/2016	30	I	0.9	0.3	0.6
10166880022	D4	6/09/2016	6/10/2016	30	I	0.6	< 0.1	0.6
10166880023	D5	6/09/2016	6/10/2016	30	IB	2.7	0.8	1.9
10166880024	D6	6/09/2016	6/10/2016	30	I	0.7	<0.1	0.7

Glossary of Terms Used in Notes:

Insects (eg, Ants, Spiders)

Insects and bird droppings

4.2.1 Allowable Depositional Dust Limits

The EPA Long Term (Annual Average) Dust Limit is $4g/m^2$ per month. All Depositional Dust results during this monitoring period are in compliance with consent conditions. The Annual Average for Dust Gauges D1, D2, D3, D4, D5 and D6 are all less than or equal to $1.1g/m^2$ per month, which is below the allowable Annual Average Long Term Limit of $4g/m^2$ per month.

ΙB

Depositional Dust monitoring locations are shown in **Appendix 1**. Graphical Depositional Dust results are shown in **Appendix 2**.



5 BLASTING RESULTS

No blasting was undertaken during this month as mining operations have ceased since the end of March 2014.

6 NOISE MONITORING RESULTS

Routine quarterly noise monitoring was undertaken this month. Results are presented in RCA Australia Report No. 6880-N139 Pine Dale Mine Operation Attended Noise October 2016.

7 OPERATIONAL ACTIVITIES

All of the approved minable reserves at the Pine Dale Mine have now been exhausted. Operational mining and the last coal sales ceased as of the end of March 2014.

All former operators have been made redundant; however some statutory positions still remain. Pine Dale Mine has been placed in care and maintenance since April 2014.

8 SUMMARY

During the month of October 2016 environmental monitoring constituents were found to be generally in compliance with EPL 4911.

Standing water levels within the site groundwater bores were compliant with their respective trigger levels. Both the pH and electrical conductivity values recorded at both onsite bores were below the respective trigger levels.

Rolling annual averages from both the TSP and PM_{10} High Volume Air Samplers are currently well below the EPA Annual Mean TSP and PM_{10} criterion of $90\mu g/m^3$ and $30\mu g/m^3$ respectively.

Currently there are no depositional dust gauge results which are greater than the EPA Long Term (annual average) criteria of 4g/m².month based upon a rolling average of the past 12 months.

Pine Dale Mine ceased operation in March 2014 and therefore no blasting occurred at the site.

This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.

Please contact the undersigned if you have any gueries.

Yours sincerely

Carmen Rocher
Environmental Engineer
RCA Australia Pty Ltd trading as
RCA Laboratories – Environmental


Karen Tripp Senior Environmental Scientist/Hygienist RCA Australia Pty Ltd trading as RCA Laboratories – Environmental


A/nP




Appendix 1

Surface Water Groundwater and Air Quality Monitoring Locations











Appendix 2

Depositional Dust and HVAS Graphs













Appendix 3


Meteorological Data



















20 %

S

Source data: Metford.SCM 10 minutely data - Ave WndDir (deg) 10 minutely data - Ave WindSpd (m/sec)