M5 Monitoring of Pollution Complaints - Summary

Number of Complaints / Enquiries / Notifications - February 2018

Pollution Category	Number Received
Air	0
Water	0
Noise	0
Waste	0
Blast	0
Other	0
Enquiry / Notification	0



16 March 2018

Notes:

Refer to Complaints register section of Energy Australia Pine Dale Mine website for further details.

M2 Requirement to Monitor Concentration of Pollutants Discharged

M2.2 Air Monitoring Requirements	EPL Point 6 EPL Point 7 EPL Point 8		EPL Point 10	EPL Point 11	EPL Point 12	
	Dust Gauge D1	Dust Gauge D2	Dust Gauge D3	Dust Gauge D4	Dust Gauge D5	Dust Gauge D6
Insoluble Solids sample results for month of February 2018 (g/m² per mth)	1.2	0.7	0.9	1.0	0.6	1.0
No of Samples required by licence (24 Nov 2017 to 23 Nov 2018)	12	12	12	12	12	12
No of Samples collected & analysed (24 Nov 2017 to 23 Nov 2018)	3	3	3	3	3	3
Lowest Sample value (24 Nov 2017 to 23 Nov 2018) (g/m² per mth)	0.8	0.6	0.9	0.6	0.4	0.1
Mean of samples (24 Nov 2017 to 23 Nov 2018) (g/m² per mth)	1.3	0.8	0.9	0.9	1.6	0.6
Highest sample value (24 Nov 2017 to 23 Nov 2018) (g/m² per mth)	1.9	1.1	0.9	1.1	3.7	1.0

		EPL Point 9	EPL Point 9
		HVAS TSP	HVAS PM ₁₀
	6-Feb-18	22	5
Sample results for month	12-Feb-18	33	21
of February 2018 (µg/m³)	18-Feb-18	48	27
, ",	24-Feb-18	16	9
No of Samples required by lic	ence (24 Nov 2017 to 23 Nov 2018)	61	61
No of Samples collected & an	alysed (24 Nov 2017 to 23 Nov 2018)	16	16
Lowest Sample value (24 Nov 2017 to 23 Nov 2018) (µg/m3)		7	5
Mean of samples (24 Nov 2017 to 23 Nov 2018) (μg/m3)		29	15
Highest sample value (24 Nov 2	2017 to 23 Nov 2018) (µg/m3)	49	27
M - 1			

Notes:

Refer to Community Consultive Monthly Reports for Maps of Sample Locations

M2.3 Water Monitoring Requirements		EPL Point 2	EPL Point 3	EPL Point 14	
- ,		Neubeck's Creek	Neubeck's Creek	Cox's River	
		Upstream of Flow	Downstream from	Downstream of	
		Gauge	Offices	Blue Lake	
	рН	6.76	6.94	8.7	
	Conductivity (µS/cm)	1820	902	1350	
Sample results* for Month of	Sulphate (mg/L)	688	326	44	
February 2018	Iron - filterable (mg/L)	0.15	0.73	< 0.05	
	TSS (mg/L)	9	<5	<5	
	Turbidity (NTU)	21	3	7	
No of Samples required by lice	Cence (24 Nov 2017 to 23 Nov 2018)	4	4	4	
No of Samples collected & ar	nalysed (24 Nov 2017 to 23 Nov 2018)	1	1	1	

Notes:

NA - no samples required for monitoring period. Reporting year runs from 24 Nov 2017 to 23 Nov 2018

* Pine Dale Mine does not have water quality licence limits for ambient water quality monitoring of Points 2, 3 & 14 in its EPL.

Refer to Community Consultive Monthly Reports for Maps of Sample Locations

		EPL Point 13 Discharge to Neubecks Creek	EPL 100 percentile concentration limit
	рН	NA	6.5 - 8.5
Sample results for Month of February 2018	Conductivity (µS/cm)	NA	
	Sulphate (mg/L)	NA	
	Iron (filterable)	NA	
	TSS (mg/L)	NA	30
	Turbidity (NTU)	NA	
	Oil & Grease (mg/L)	NA	10
No of Samples required by li	cence -year to date	NA	
No of Samples collected & a	nalysed -year to date	NA	

Notes:

NA - no samples required for monitoring period.

Refer to Community Consultive Monthly Reports for Maps of Sample Locations

L4 Noise Limits

L4 NOISE LIIIIUS			T			Г
	Location	Date	Time	Daytime Noise Level recorded dB (LAeq _{15 minute})	PDM Noise Contribution (LAeq _{15 minute})	Daytime Noise Limit dB (LAeq ₁₅ _{minute})
	NM1 (EPL Ref No. 33)	NA				42.0
	NWIT (ET ETVELING: 55)	IVA				42.0
	NM2 (EPL Ref No. 14)	NA				42.0
Results for February 2018 NM3 (EPL Ref No. 10) NM4 (EPL Ref No. 5) NM5 (EPL Ref No. 4) NM6 (EPL Ref No. 2)						
	NM3 (EPL Ref No. 10) NA	NΔ				42.0
		IVA				42.0
	NM4 (EPL Ref No. 5)	NA				35.0 35.0
		INA				
	NM5 (EPL Ref No. 4)	NA				
						00.0
	NM6 (EPI Ref No. 2)	NA				35.0
	INA				33.0	



NA - no samples required for monitoring period.

Nil -Noise source not audible during survey session

Noise monitoring is conducted at the same sites as Depositional Dust monitoring. Refer to Community Consultive Monthly Reports for Maps of Sample Locations

L5 Blasting

	Park Street Blackmans Flat		Noon St.		Summer St.	
	Overpressure	Vibration	Overpressure	Vibration	Overpressure	Vibration
Date	(dB)	(mm/sec)	(dB)	(mm/sec)	(dB)	(mm/sec)
No blasting undertaken durin	g February 2018.					

Notes:

NT - no trigger of monitoring equipment recorded at this monitoring location.

EPL Blasting Limit for 95% of blasts:
Airblast overpressure level of 115dB
Ground vibration peak velocity of 5mm/sec

EPL Blasting Limit for 100% of blasts:
•Airblast overpressure level of 120dB
•Ground Vibration peak velocity of 10mm/sec

M4 Weather Monitoring

Parameter required to be monitored	Monitoring Period Required	Compliance Achieved this Month
Air Temperature	Continuous	Yes
Wind Direction	Continuous	Yes
Wind Speed	Continuous	Yes
Sigma theta	Continuous	Yes
Rainfall	Continuous	Yes
Relative Humidity	Continuous	Yes



Notes:

Refer to Community Consultive Committee Report for Weather Monitoring Data.