### M5 Monitoring of Pollution Complaints - Summary

## Number of Complaints / Enquiries / Notifications - May 2020

Pollution Category	Number Received
Air	0
Water	0
Noise	0
Waste	0
Blast	0
Other	0
Enquiry / Notification	0



### Notes:

Refer to Complaints register section of Energy Australia Pine Dale Mine website for further details.

## M2 Requirement to Monitor Concentration of Pollutants Discharged

M2.2 Air Monitoring Requirements	EPL Point 6	EPL Point 8	EPL Point 10	EPL Point 11	EPL Point 12
	Dust Gauge D1	Dust Gauge D3	Dust Gauge D4	Dust Gauge D5	Dust Gauge D6
Insoluble Solids sample results for month of June 2020 (g/m² per mth)	1.0	0.4	0.1	0.2	0.2
No of Samples required by licence for the period: 24/11/19 - 23/11/20	12	12	12	12	12
No of Samples collected & analysed: 24/11/19 - 31/5/2020	6	6	6	6	6
Lowest Sample value (24/11/19 - 31/5/2020)(g/m² per mth)	0.4	0.4	0.1	0.2	0.2
Mean of samples (24/11/19 - 31/5/20) (g/m² per mth)	1.7	1.9	2.3	2.0	1.9
Highest sample value (24/11/19 - 31/5/20) (g/m² per mth)	4.4	3.4	4.6	3.5	4.0

		EPL Point 9	EPL Point 9
		HVAS TSP	HVAS PM <sub>10</sub>
	02-May-20	11	6
Sample results for month	08-May-20	19	8
of May 2020 (µg/m³)	14-May-20	19	9
	20-May-20	8	3
	26-May-20	7	3
No of Samples required by licence for the period: 24/11/19 - 23/11/20		61	61
No of Samples collected & analysed (24/11/19 - 31/5/20)		31	31
Lowest Sample value (24/11/19 - 31/5/20) (µg/m³)		7	3
Mean of samples (24/11/19 - 31/5/20) (μg/m <sup>3</sup> )		73	45
Highest sample value (24/11/19 -31/5/20) (μg/m³)		450	355

#### Notes:

Refer to Community Consultive Monthly Reports for maps of sample locations

8
<b>Energy</b> Australia
LIGHT THE WAY

15 June 2020

M2.3 Water Monitoring Requirements		EPL Point 2	EPL Point 3	EPL Point 14
•		Neubeck's Creek	Neubeck's Creek	Cox's River
		Upstream of Flow	Downstream from	Downstream of
		Gauge	Offices	Blue Lake
	рН	7.27	7.42	6.91
	Conductivity (µS/cm)	598	981	1010
Sample results* for month of	Sulphate (mg/L)	158	400	473
May 2020	Iron - filterable (mg/L)	0.06	0.18	0.07
	TSS (mg/L)	5	9	7
	Turbidity (NTU)	2	2	3
No of Samples required by licence	ce for the period: 24/11/19 - 23/11/20	4	4	4
No of Samples collected & analysed (24/11/19 - 31/5/20)		2	2	2

### Notes:

NA - no samples required for monitoring period.

Reporting year runs from 24 Nov 2019 to 23 Nov 2020

<sup>\*</sup> Pine Dale Mine does not have water quality licence limits for ambient water quality monitoring of Points 2, 3 & 14 in its EPL. Refer to Community Consultive Monthly Reports for Maps of Sample Locations

		EPL Point 13 Discharge to Neubecks Creek	EPL 100 percentile concentration limit
	рН	NA	6.5 - 8.5
Sample results for month of May 2020	Conductivity (µS/cm)	NA	
	Sulphate (mg/L)	NA	
	Iron (filterable)	NA	
	TSS (mg/L)	NA	30
	Turbidity (NTU)	NA	
	Oil & Grease (mg/L)	NA	10
No of Samples required by licence (24/11/19 - 23/11/20)		NA	
No of Samples collected & analysed (24/11/19 - 31/5/20)		NA	

#### Notes:

NA - no samples required for monitoring period due to no discharge events. Refer to Community Consultive Monthly Reports for Maps of Sample Locations

## Pine Dale Mine EPA Compliance Data - May 2020

### **L4 Noise Limits**

E4 Noise Ellints	Location	Date	Start Time	Daytime Noise Level recorded dB (LAeq <sub>15 minute</sub> )	PDM Noise Contribution (LAeq <sub>15 minute</sub> )	Daytime Noise Limit dB (LAeq <sub>15 minute</sub> )
Results for May 2020	NM1 (EPL Ref No. 33)	NA	NA	NA	NA	42.0
	NM2 (EPL Ref No. 14)	NA	NA	NA	NA	42.0
	NM3 (EPL Ref No. 10)	NA	NA	NA	NA	42.0
	NM4 (EPL Ref No. 5)	NA	NA	NA	NA	35.0
	NM5 (EPL Ref No. 4)	NA	NA	NA	NA	35.0
	NM6 (EPL Ref No. 2)	NA	NA	NA	NA	35.0

#### Notes:

NA - no samples required for monitoring period.

Nil -Noise source not audible during survey session

Noise monitoring is conducted at the same sites as depositional dust monitoring. Refer to Community Consultive Monthly Reports for maps of sample locations

### L5 Blasting

	Park Street Blackmans Flat		Noon St.		Summer St.	
	Overpressure	Vibration	Overpressure	Vibration	Overpressure	Vibration
Date	(dB)	(mm/sec)	(dB)	(mm/sec)	(dB)	(mm/sec)
No blasting undertaken during	g May 2020.					

### Notes:

NT - no trigger of monitoring equipment recorded at this monitoring location.

EPL Blasting Limit for 95% of blasts:
•Airblast overpressure level of 115dB
•Ground vibration peak velocity of 5mm/sec

EPL Blasting Limit for 100% of blasts:
•Airblast overpressure level of 120dB
•Ground Vibration peak velocity of 10mm/sec

# Pine Dale Mine EPA Compliance Data - May 2020

### M4 Weather Monitoring

Parameter required to be monitored	Monitoring Period Required	Compliance Achieved this Month
Air Temperature	Continuous	Yes
Wind Direction	Continuous	Yes
Wind Speed	Continuous	Yes
Sigma theta	Continuous	Yes
Rainfall	Continuous	Yes
Relative Humidity	Continuous	Yes



Refer to Community Consultive Committee Report for Weather Monitoring Data.



15 June 2020